2025 CATALOG

PRODUCT SOLUTIONS | ENGINEERING EXCELLENCE | SIGNATURE SERVICE

Sold By:
Wood Etc. Co
Email: mail@woodetcco.com
Web: www.woodetcco.com



"Furniture for every element"

CAFETERIA

SCIENCE LAB

MUSIC ROOM

AUDITORIUM

National Public Seating

TABLE OF CONTENTS



FOLDING CHAIRS 12



STACK CHAIRS 22



BANQUET CHAIRS 29



MOBILE CHAIRS 35



STOOLS 38



TASK CHAIRS & STOOLS 46



PLASTIC FOLDING TABLES 50



PICNIC TABLES 64



MAX SEATING™ FOLDING TABLES 70



MOBILE FLIPPER TABLES 74



TITAN TABLES 80



HEAVY-DUTY TABLES 82



AERO-LIFT TABLES 100



MOBILE SCIENCE CABINETS 112



DEMO CABINETS 116



SCIENCE WORKSTATIONS 121



SCIENCE TABLES 124



WORKSTATIONS 131



MOBILE TABLES 136



BOOTH SEATING 156



CAFÉ 163




MUSIC 174



CONDUCTOR'S FURNITURE 177



ROOM DIVIDERS 182



STAGES & RISERS 168



DOLLIES 195



LECTERNS 208



SOUND LECTERNS 214



PRESENTATION CARTS 221



POWER & AUDIO SOLUTIONS 224

BASICS by NPS

BASICS BY NPS 228



DESIGN OPTIONS 232

Quickship Available
For Most Products

Online Dealer Support
- Price Lists
- Freight Quotes
- Order Tracking
- Real-Time Stock Check
- Service Portal
- Product Configurator

NEW Online Stage Configurator

Expansive Online Media Center
Image Library - Videos - Brochures

State and Regional
Government Contracts

TAA
TAA OPTIONS AVAILABLE
Offering TAA Compliant Products

Parts under $25
Ship to End Users with No Charge

Comprehensive Design and Rendering Services

Ten Year Warranty 10 GENERAL PRODUCTS

Fifteen Year Warranty 15 MOBILE TABLES

One Year Warranty 1 BASICS BY NPS

MADE IN NJ — WE ARE AN ESSENTIAL MANUFACTURER IN NEW JERSEY

Our entire product line is MAS Certified Green®.
For more information, visit www.mascertifiedgreen.com

FOLDING CHAIRS



Steel Chairs
50, 200, 300, 5200



Upholstered Chairs
1200, 1300, 2200, 2300, 3200



Plastic Chairs
600, 800, 1100, 1400

All-Steel

Standard | Double Brace | Single Hinge | 19-Gauge Frame
50 Series




TAA

1-2 DAY LIGHTNING SHIP

Colors






Premium | Double Brace | Double Hinge | 18-Gauge Frame
200 Series



Colors





Shared Features

Available Accessories



PGC1
Ganging Device for Models
50 · 200 · 300 · 800 · 1100 · 1200 · 1300 · 2200 · 2300 · 3200 · 5200



MGC
Ganging Device for Models
50 · 200 · 300 · 800 · 1100 · 1200 · 1300 · 2200 · 2300 · 3200



GL
Glides for Models
50 · 200 · 300 · 800 · 1100 ·1200 · 1300 · 2200 · 2300 ·3200 · 5200



VT
V-Tips for Models
50 · 200 · 300 · 800 · 1100 · 1200 · 1300 · 2200 · 2300 · 3200 · 5200

THE Body Builder LINE

Premium | Triple-Brace | Double Hinge | 18-Gauge Frame
300 Series




Premium All-Steel with Tablet Arm | Double Hinge
5200 Series




TAA

1-2 DAY LIGHTNING SHIP



Colors





Colors



Grey Tablet Arm
Black Frame
5210R (right handed)
5210L (left handed)

Features



Extended Tablet Provides Extra Writing Space



Ultra-Strong Triangular Gorilla Bracket Adds Superior Durability

*5200 Cannot Be Transported on Dollies

Shared Features

All Steel Features




Non-Marring Replaceable Glides That Match Frame Color

Back Leg Stability Plugs

Double Riveted U Brace

Curved Ergonomic Backrest

Dollies Category on Page 195









products meet or exceed applicable ANSI/BIFMA standards





Vinyl Upholstered

Double Brace | Double Hinge
1200 Series



Triple U Brace | Double Hinge
1300 Series



TAA

1-2 DAY LIGHTNING SHIP

Colors

French Beige Vinyl Beige Frame	Warm Grey Vinyl Grey Frame	Dark Midnight Blue Vinyl Char-Blue Frame	Caviar Black Vinyl Black Frame	Honey Brown Vinyl Beige Frame
1201 / 1301	1202 / 1302	1204 / 1304	1210 / 1310	1203

Shared Features

Vinyl and Fabric Features



Non-Marring Replaceable Glides That Match Frame Color


Back Leg Stability Plugs

Double Riveted U Brace

Curved Ergonomic Backrest

Upholstered Seat and Back

Double Hinge



Fabric Upholstered

Double Brace | Double Hinge
2200 Series



Triple U Brace | Double Hinge
2300 Series



TAA

1-2 DAY LIGHTNING SHIP

Colors

Cafe Beige Fabric Beige Frame 2201 / 2301	Greystone Fabric Grey Frame 2202 / 2302	Russet Walnut Fabric Brown Frame 2207	Imperial Blue Fabric Char-Blue Frame 2204 / 2304	Midnight Black Fabric Black Frame 2210 / 2310	Majestic Cabernet Fabric Grey Frame 2208/2308	Imperial Blue Fabric Grey Frame 2205

Shared Features

THE Body Builder LINE

See Available Accessories on PAGE 12

Dollies Category on Page 195

Compatible with DOLLY

84, DY-35, DY-50

24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS

MAS CERTIFIED GREEN for a healthier indoor environment

CAL-117 RATED

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

ten year warranty 10

SittingGreen by NPS ANSI/BIFMA X7.1-2007

Folding Chairs

2" Upholstered Fabric/Vinyl Seat
3200 Series



1-2 DAY LIGHTNING SHIP


WEIGHT CAPACITY 300 lbs

TAA

Fabric Colors



Charcoal Grey Fabric
Black Frame
3212



New Burgundy Fabric
Grey Frame
3218



Regal Blue Fabric
Grey Frame
3215



Antique Gold Fabric
Brown Frame
3219

Vinyl Colors



Beige Vinyl
Beige Frame
3201



Black Vinyl
Black Frame
3210


Features




2" Ultra Comfort
Box Seat



High Backrest



Dollies Category on Page 195



Blow Molded
600 Series



24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS

CAL-133 RATED

Colors



Speckled Grey Plastic
Grey Hammer Tone Frame
602



Blue Plastic
Black Frame
604




Black Plastic
Black Frame
610




Charcoal Slate Plastic
Silvertone Frame
620



Red Plastic
Black Frame
640



Dollies Category on Page 195



Features



19-Gauge
Steel Frame



Fully Welded
U Brace


THE Body Builder LINE

Premium Plastic Lightweight
800 Series

SUPER STACKER



1-2 DAY LIGHTNING SHIP



TAA

Dollies Category on Page 195
Compatible with DOLLY
84, DY700/800, DY-35, DY-50

Colors

Grey Plastic Grey Frame	Blue Plastic Grey Frame	Black Plastic Black Frame
802	805	810
Burgundy Plastic Black Frame	**Charcoal Slate Plastic Black Frame**	**White Plastic White Frame**
818	820	821


CAL-133 RATED

24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS

Polyfold Fan Back Triple-Brace
1100 Series

SUPER STACKER





Dollies Category on Page 195
Compatible with DOLLY
84/EXT-8, DY35, DY-50, DY1100

Colors

Blue Plastic Grey Frame	Black Plastic Black Frame	Dark Blue Plastic Grey Frame
1105	1110	1115

Features



18-Gauge Steel Frame	Double Riveted U Brace	7/8" Round Tubular Frame	Non-Marring Polypropylene Glides	Double Hinge

See Available Accessories on PAGE 12

MAS CERTIFIED GREEN for a healthier indoor environment

SittingGreen by NPS ANSI/BIFMA X7.1-2007

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

AirFlex®






NEW COLOR

NOW IN STOCK!




COMFORT

Distinct AirFlex® Design Contours to Each Individual Making for the Perfect Balance of Comfort and Strength.



DESIGN

Modern Design Enhances Any Event.



DURABILITY

Strong 18-Gauge Steel Frame and Seat Supports Make for Long Lasting Durability.

STACK CHAIRS



Stack Chairs
8100, 8500, 8600, 8700,
8800, Bushwick

Polyshell Stacker
8100 Series



1-2 DAY LIGHTNING SHIP

24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS




Stacks 10 CHAIRS

Dollies Category on Page 195

Compatible with DOLLY

DY-81



Features



High-Density Injection Molded Poly One-Piece Shell



Frame Shields Protect Against Snags and Pinching



Strong 17-Gauge 7/8" Square Tubing

Colors



Black
8110



Blue
8125



Available Accessories



TA81L*
Oak Surface
Left Tablet Arm



TA81R*
Oak Surface
Right Tablet Arm



PGC81
Ganging Device

*Chairs can't be stacked with tablet arms attached

Signature Stacker
8600 Series






Stacks 20 CHAIRS

Dollies Category on Page 195

Compatible with DOLLY

DY-86



Features



Strong 16-Gauge 1/2" Round Tubing



Contoured Seat and Back for Enhanced Comfort



Non-Marring Floor Glides

Colors



Ebony Black
8660



Classic Grey
8652

Black Frame / Black Fabric Also Available as Custom Order for 8600

Accessories



MGC86
Ganging Device

TAA

MAS CERTIFIED GREEN

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Hi Tech Ultra Compact Stacker
8500 Series



1-2 DAY LIGHTNING SHIP


Features



Molded Seat and Back Provide Comfort and Allow for Easy Interstacking



Protective Rounded Polycarbonate Floor Glides With Custom Clamping Device




Reinforced Underseat Ribbing for Added Strength



Chrome-Plated 11mm Steel Rod Frame



24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS



TAA

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

MAS CERTIFIED GREEN

Colors

Wine	Black	Gunmetal Grey	Navy Blue
8508	8510	8502	8505

Available Accessories



TA85L* Black Left Tablet Arm



TA85R* Black Right Tablet Arm



BR85 Book Basket




PGC85 Ganging Device

*Chairs can't be stacked with tablet arms attached



Dollies Category on Page 195



ten year warranty 10

Padded Cafetorium Chair

VINYL SEAT



NOW IN STOCK!

8700 Add-On Armrest

Compatible with all 8700 Heights

Optional Armrest with black frame and black plastic arm



18" SEAT HEIGHT

See Page 241 for Custom Color Options

Standard Colors

8704-10-04
Blue Poly and Blue Vinyl Black Frame

8710-11-10
Black Poly and Black Vinyl Chrome Frame

8742-12-02
Grey Poly and Blue Vinyl Silver Frame

Add code '-A' to the end of the model number to add Armrests



24" SEAT HEIGHT

See Page 241 for Custom Color Options

Standard Colors

8710C-11-10
Black Poly and Black Vinyl Chrome Frame

Add code '-A' to the end of the model number to add Armrests



30" SEAT HEIGHT

See Page 241 for Custom Color Options

Standard Colors

8710B-11-10
Black Poly and Black Vinyl Chrome Frame


Add code '-A' to the end of the model number to add Armrests

1-2 DAY LIGHTNING SHIP

Chair Features 8700/8800



"Rod In Tube" Design



Glides Function as Built-in Gangers for Multi Chair Setup



Polypropylene Plastic Back Design Provides Ergonomic Support




Glides Are Made of TPU For Sensitive Floors

LIGHT 10 LB WEIGHT

Dollies Category on Page 195







Poly Cafetorium Chair

POLY SEAT

AVAILABLE NOVEMBER 2024

NEW COLORS

BUILT-IN GANGING



18" SEAT HEIGHT

See Page 241 for Custom Color Options

Standard Colors

- Blue Poly Chrome Frame 8804-11-04
- Black Poly Chrome Frame 8810-11-10
- Charcoal Poly Chrome Frame 8820-11-20
- NEW White Poly Chrome Frame 8801-11-01
- NEW Red Poly Chrome Frame 8817-11-17



24" SEAT HEIGHT

See Page 241 for Custom Color Options

Standard Colors

- NEW Blue Poly Chrome Frame 8804C-11-04
- Black Poly Chrome Frame 8810C-11-10
- NEW Charcoal Poly Chrome Frame 8820C-11-20

NOW IN STOCK!



30" SEAT HEIGHT

See Page 241 for Custom Color Options

Standard Colors

- NEW Blue Poly Chrome Frame 8804B-11-04
- Black Poly Chrome Frame 8810B-11-10
- NEW Charcoal Poly Chrome Frame 8820B-11-20

NOW IN STOCK!

1-2 DAY LIGHTNING SHIP

Bar Stool Features 8700/8800



Plastic Stacking Bumpers




Welded Footrest




7/8" Leg Tubing



Floor-Safe Non-Marring Glides



Dollies Category on Page 195





Stacks 24 CHAIRS

ten year warranty 10

MAS CERTIFIED GREEN for a healthier indoor environment

TAA

CAL-117 RATED

24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Bushwick Bentwood Chairs & Stools



Stackable, stylish, and built to thrive: The Bushwick series, the perfect cafeteria seating solution





Features




Heavy-Duty Bumpers for Safe and Secure Stackability



Modern Handle for Easy Movement and Storage



4 Fully Welded 12-Gauge Under-Seat Support Brackets



½" Thick 8-Layer Bent Plywood Seat With HPL Finish



Legs Designed For Easy Stackability



7/8" 16-Gauge Chromed Steel Tubing



Designer Contoured Waterfall Edge



Durable Non-Marring Polypropylene Glides

Barstool



Heavy-Duty Welded Footring for Added Comfort and Stability

Bushwick Bentwood Chairs & Stools



New Handle Design



Bentwood Chair

18" SEAT HEIGHT

NOW IN STOCK!

Bentwood Counter Height Stool

NEW



24" SEAT HEIGHT

Bentwood Bar Height Stool



30" SEAT HEIGHT


NOW IN STOCK!

Colors



Espresso (21) | Natural (22) | Black (23) NEW

Dollies Category on Page 195



DY81, DY-9000 For Chairs

Dollies Category on Page 195



DY81 For Stools

TAA

1-2 DAY LIGHTNING SHIP

WEIGHT CAPACITY 500 lbs

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Model	Width	Depth	Back Height	Seat Height	Footring Height
Chair	21 ½"	23¼"	33 ⅞"	18"	N/A
Counter Stool	21 ½"	22 ¼"	46 ½"	24"	7 ½"
Bar Stool	21 ½"	22 ¼"	46 ½"	30"	13 ½"

Model Number Configuration

Model Number: BC C 21 — Color

Chair 18" (C) | Counter 24" (M) | Bar 30" (S)

BANQUET CHAIRS



Premium Flex-Back Banquet Chairs





AVAILABLE
JANUARY 2025

Enhanced Fabric Durability
Reinforced fabric with double stitching to prevent tearing and eliminate exposed areas to avoid openings.

INNOVATIVE FLEXIBILITY

The flex-back mechanism enables the chair's backrest to move, providing optimal comfort during long periods of sitting.



DURABLE CONSTRUCTION


Full-width back supports ensure longevity in demanding environments with heavy use, making them a lasting investment.



ULTIMATE COMFORT

Experience ultimate comfort with our plush 3-inch thick PU foam seat cushion.

Premium Flex-Back Banquet Chairs




Dollies Category on Page 195

Compatible with DOLLY

DY81, DY-9000





7 DAY QUICK SHIP

WEIGHT CAPACITY 300 lbs

Rated for a 300 lbs weight capacity, this chair exceeds 100,000 back flex cycles at 75 lbs in UL testing. This rigorous test replicates the force of a 300 lbs user, demonstrating exceptional strength and durability.

CAL-117 RATED

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Features



Seat Cushion Made with Plush 3" Thick PU Molded Foam



MDF Core Seat and Back



Stacking Bars and Plastic Stack Bumpers Ensure Stacking Securely



Tested by UL to Exceed 100,000 Back Flex Cycles



Premium Double Back Conceals Steel Full-width back supports



18 Gauge Steel Frame with Self-Leveling Glides

Fabric Colors

CULP *Premium Fabrics*



***Morticia* Lithium**
82



***Morticia* Blue Lagoon**
84



***Morticia* Taupe**
88



***Morticia* Onyx**
90

CUSTOM COLOR OPTIONS AVAILABLE!
We can do any CULP Fabric/Vinyl
MOQ, Upcharge, and Extended Lead Times Apply

Frame Color



Black Santex
BT

MAS CERTIFIED GREEN

ten year warranty 10

Model Number Configuration

Prefix — Frame Color

96 84 - BT

Fabric/Vinyl Color

Banquet Chairs

Dome Back
9200 Series



Silhouette Back
9300 Series



24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS

1-2 DAY LIGHTNING SHIP

Standard Colors

See Page 240 for Custom Color Options

- 9254-SV Midnight Blue Fabric Silvervein Frame
- 9254-BT Midnight Blue Fabric Black Santex Frame
- 9260-SV Ebony Black Fabric Silvervein Frame
- 9260-BT Ebony Black Fabric Black Santex Frame
- 9201-M French Beige Vinyl Mocha Frame
- 9204-SV Midnight Blue Vinyl Silvervein Frame
- 9204-BT Midnight Blue Vinyl Black Santex Frame
- 9210-SV Panther Black Vinyl Silvervein Frame
- 9210-BT Panther Black Vinyl Black Santex Frame

Standard Colors

See Page 240 for Custom Color Options

- 9304-SV Midnight Blue Vinyl Silvervein Frame
- 9310-BT Panther Black Vinyl Black Santex Frame
- 9354-SV Midnight Blue Fabric Silvervein Frame
- 9360-BT Ebony Black Fabric Black Santex Frame
- 9361-BT Natural Chocolatier Fabric Black Santex Frame
- 9362-BT Natural Greystone Fabric Black Santex Frame
- 9364-SV Diamond Navy Fabric Silvervein Frame
- 9374-BT Natural Blue Fabric Black Santex Frame
- 9378-BT Natural Taupe Fabric Black Santex Frame

Features



2” 1.8lb. High-Density Grade A Foam Waterfall Seat



MDF Core Seat and Back



Stacking Bars And 12 Plastic Stack Bumpers Ensure Stacking Securely



7/8” Square 18 Guage Tubing With Non-Marring Glides 5/8” Underseat H Braces

9200



Back Rests On 4 Tabs For Extra Durability

9300



Premium Double Back Conceals 4 Steel Backrest Tabs

CAL-117 RATED

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

MAS CERTIFIED GREEN for a healthier indoor environment

MOBILE CHAIRS



CoGo Mobile Tablet Chair

Modern chair for today's collaborative learning!



DESIGN

Ergonomically Designed For All-Day Seating Support; Contemporary Design Enhances the Modern Classroom.



MOBILITY

Allows Students to Move to Different Learning Areas With Ease.



DURABILITY

16 Gauge Steel and Twin 2 Inch Casters for Long-Lasting Classroom Use.



ten year warranty 10

MAS CERTIFIED GREEN for a healthier indoor environment

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Features



Strong Twin Wheeled 2" Casters



Fiberglass-Reinforced Polypropylene



Tablet Can Be Installed on the Right or Left Side

Seat Colors



Black
COGO-10



Blue
COGO-04



Red
COGO-40

Available Accessory



GLCOGO
Set of Four Glides


1-2 DAY LIGHTNING SHIP

TAA

WEIGHT CAPACITY 440 lbs

TABLET WEIGHT CAPACITY 150 lbs

STOOLS



Stools
6200, 6300,
6400, 6500



Designer Stools
6600, 6800,
Titan



Task Chairs and Stools
6700, CTC



Heavy-Duty Masonite Seat Stools

Features


8 Rivets on Seat
To Ensure Longevity


Heavy-Duty 18-Gauge
7/8" Steel Tubing


Industrial Grade
Glides


Four Weld Points at
Each Leg for Extreme
Durability


Add-on Backrest
Adjusts 2" Up/Down
and 2" Forward/Back


Add-on Chromed
Adjustable Height Inserts
Adjust to Nine Heights











Model #	Seat Height
6218	17"
6224	24"
6230	30"
6218H	19-26"
6224H	25-32"
6230H	31-38"

Model Number Configuration

Model Number — Add-on Code (if applicable)

6218H-10

Frame Color (if applicable)

Frame Colors



Grey
(no code)


Black
(code: 10)

Seat Color


Masonite

Add-on Codes	
Backrest	B
Adjustable Height	H
Adjustable Height and Backrest	HB



1-2 DAY LIGHTNING SHIP

24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Heavy-Duty Masonite Seat Stools

Features



16 Rivets on Seat
To Ensure Longevity



Four Weld Points
at Each Leg for
Extreme Durability



Industrial Grade
Glides



Heavy-Duty 18-Gauge
7/8" Steel Tubing



Add-on Backrest
Adjusts 2" Up/Down
and 2" Forward/Back



Add-on Chromed
Adjustable Height Inserts
Adjust to Nine Heights











Model #	Seat Height
6318	17"
6324	24"
6330	30"
6318H	19-26"
6324H	25-32"
6330H	31-38"

Model Number Configuration

Model Number — Add-on Code (if applicable)

6318H


Frame Colors

Grey

Seat Color

Masonite

Add-on Codes	
Backrest	B
Adjustable Height	H
Adjustable Height and Backrest	HB



TAA OPTIONS AVAILABLE

1-2 DAY LIGHTNING SHIP

24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS

ten year warranty 10

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Heavy-Duty Padded Stools

Features


Padded Vinyl Seat


Heavy-Duty 18-Gauge 7/8" Steel Tubing


Industrial Grade Glides


Four Weld Points at Each Leg for Extreme Durability


Add-on Backrest Adjusts 2" Up/Down and 2" Forward/Back


Add-on Chromed Adjustable Height Inserts Adjust to Nine Heights











Model #	Seat Height
6418	18"
6424	24"
6430	30"
6418H	19-27"
6424H	25-33"
6430H	32-39"

Add-on Codes	
Backrest	B
Adjustable Height	H
Adjustable Height and Backrest	HB

Model Number Configuration


Model Number: 6418H
Add-on Code (if applicable): -10
Frame Color (if applicable)

Stool Colors

Grey Vinyl Grey Frame (no code)

Black Vinyl Black Frame (code: 10)

24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS



1-2 DAY LIGHTNING SHIP

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Heavy-Duty Padded Stools

Features



Height Adjustable from 24”-30”



1/2” Vinyl Padded Riveted Thru the Steel Seat Pan



7/8” O.D. 16-Gauge Steel Tubing



Foot Rings, 5/8” O.D. Welded to Each Leg



Add-on Backrest Adjusts 2” Up/Down and 2” Forward/Back










Stool Color

Grey

Model #	Height	Description
6524HB	24-30”	Stool with Backrest
6524H	24-30”	Stool without Backrest



24 HOUR LOAD TEST 500 lbs TESTED BY BUREAU VERITAS

TAA OPTIONS AVAILABLE

1-2 DAY LIGHTNING SHIP

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

The Contemporary Designer Stool

Soft Seat

Metallic grey or black base with a 3" stain resistant fabric and a Solid Pine core.

Soft Seat Height Adjustable from 18" – 25"



Seat Colors



Black (10S) | Charcoal (20S) | Cobalt Blue (25S)

Steel Seat

Metallic grey or black base and heavyduty steel seatpan with an aesthetically pleasing polypropylene plastic surface available in an array of colors.

Metal Seat Height Adjustable from 18" – 24"



Seat Colors

All seats are on grey steel



Persian Blue (25) | Blueberry (05) | Burgundy (18) | Black (10)

Wooden Seat

Metallic grey or black base and a robust 1.2" thick Solid Oak wood seat with a clear lacquer finishing.

Wood Seat Height Adjustable from 19" – 25"



Seat Color



Solid Oak (00W)


Features



360° Turning Capability



Non-Marring Glides



20" Cross Leg Distance



Metal Center Sleeve Conceals Adjustable Height Pole



Seat Adjustable Using the Swivel Mechanism



Built in 4" Height Footrest With a 15" Diameter

Frame Colors



Grey 02 | Black 10







Model Number Configuration

Prefix: 68 | Seat Code: 10-02 | Frame Color: 02







products meet or exceed applicable ANSI/BIFMA standards

Elephant Z-Stool





STANDARD



BACKREST



Model Number Configuration

Model Number — Height

66 18 B

Add on Code ("B" for backrest)

Model #	Seat Height
6618	18”
6622	22”
6624	24”

1-2 DAY LIGHTNING SHIP

WEIGHT CAPACITY 500 lbs

MAS CERTIFIED GREEN

TAA

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Features



Additional Weld on Bottom for Added Strength



Riveted Glides For Added Stability



Conveniently Stackable



Optional Fan-Back For Extra Comfort



14 Gauge Eye-Tubular Steel Frame



Nests On Tabletops For Easy Cleanup and Storage!



Ergonomic Blow Molded Seat Provides Maximum Comfort



Embedded Thermoplastic Polyurethane TPU Glides Provide Quiet and Smooth Gliding On All Floor Types



Oversized Contact Area For Extreme Stability

6622/6624



Rear Brace For Added Strength



Built in 4” Height Footrest With a 15” Diameter

TITAN STOOL



EXCLUSIVELY PATENTED BY NPS
TITAN STOOL PATENTED
INNOVATIVE ENGINEERING AND DESIGN







PAGE 233 | Laminate, and Edge Options

Steel Seat



Black Poly Center
Soft Grey Steel
S10

7 DAY QUICK SHIP

Wood Seat



Solid Oak
1.2" Thick
BB

7 DAY QUICK SHIP

Laminate Seat



MDF with Protect Edge
HPL Surface | 1.2" Thick
MDPExx*



Particleboard with T-Mold
HPL Surface | 1.2" Thick
PBTMxx*

*Specify Laminate Code in place of xx









Features



Curved Footring for Extra Leg Support



14-Gauge Steel Tubing



Industrial Grade Glides



Full Welds at Each Leg for Extreme Durability



Heavy-Duty Steel Backrest With Double Locking Mechanism



Add-on Adjustable Height Inserts Adjust to Nine Heights

WEIGHT CAPACITY 1000 lbs TESTED BY UL

TAA OPTIONS AVAILABLE

ten year warranty 10

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Model #	Seat Height
TTSG18	18"
TTSG24	24"
TTSG30	30"
TTSG18H	18-26"
TTSG24H	24-32"
TTSG30H	30-38"

Add-on Codes	
Backrest	B
Adjustable Height	H
Adjustable Height and Backrest	HB

Model Number Configuration

Model Number — Add-on Code (if applicable)

TTSG 18H - BB

Height — Seat Code

Frame Color




Soft Grey

Comfort Task Chair and Stool


Comfort Task Stool





Comfort Task Chair





TAA

1-2 DAY LIGHTNING SHIP

Fabric tested to EXCEED 70,000 double rubs

WEIGHT CAPACITY 300 lbs

Features



Plush Padded Seat And Back



Includes Five 2" Industrial Grade Casters and Mushroom Glides



Plastic Reinforced Backrest and Seat

Add-On



Optional Armrest With 11 Adjustable Heights, Including Lowest Position (½ Inch Increments)

Model #	Description
CTC	18"-22" (Glides) 19"-23" (Casters) Comfort Task Chair
CTC-A	18"-22" (Glides) 19"-23" (Casters) Comfort Task Chair with Adjustable Height Armrests
CTS	24.5"-34.5" (Glides) 25.5"-35.5" (Casters) Comfort Task Stool
CTS-A	24.5"-34.5" (Glides) 25.5"-35.5" (Casters) Comfort Task Stool with Adjustable Height Armrests

CAL-117 RATED

MAS CERTIFIED GREEN for a healthier indoor environment

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Polyurethane Chair and Stool

Polyurethane Task Chair



Polyurethane Task Stool



1-2 DAY LIGHTNING SHIP

WEIGHT CAPACITY 300 lbs

Features



Convenient Backrest Handhold for Maneuverability



Includes Five 2" Industrial Grade Casters and Mushroom Glides



Backrest Tilt

Add-On



Optional Armrest with 11 Adjustable Heights, Including Lowest at ½ Inch Increments

Model #	Description
6716HB	16"-21" Polyurethane Chair (desk height)
6722HB	22"-32" Polyurethane Stool
6716HB-A	16"-21" Polyurethane Chair (desk height) with Adjustable Height Armrests
6722HB-A	22"-32" Polyurethane Stool with Adjustable Height Armrests

MAS CERTIFIED GREEN for a healthier indoor environment

ten year warranty 10

BIFMA INTERNATIONAL ANSI products meet or exceed applicable ANSI/BIFMA standards



PLASTIC FOLDING TABLES

Industrial Grade Plastic Folding Tables
1800, 2400, 3000, 3600, BTA, BTR, BMFIH, BPFT, BFHT-2448A



Comfort Max Fold-In-Half Tables
CMFIH



Picnic Tables
BMPT



Seminar Tables



The ideal choice for your seminar and training needs—indoor, outdoor, or any application requiring affordable, lightweight, weather-resistant, and highly durable tables.



Dollies Category, on Page 195

Compatible with DOLLY

TAD, DYMU

THREE SIZES AVAILABLE

Model #	Size
BT1860	18”x60”
BT1872	18”x72”
BT1896	18”x96”

Colors



Speckled Grey Plastic Grey Hammer Tone Frame

Features



Unique Spring-Loaded Lock For Complete Stability



2” Thick UV Protected Tabletop



Textured Tabletop Surface Smooth Enough For Writing




Industrial Grade Framing System



16-Gauge Cantilever Comfort Legs









evenly distributed





BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Blow Molded Folding Tables

Dollies Category on Page 195

Compatible with DOLLY

TAD, DYMU





Features



17-Gauge Framing System



Built In Handle For Easy Lifting



Extra Stable Gravity Lock


Colors



Speckled Grey Plastic Grey Hammer Tone Frame

Model Number
BT2448

can withstand heat up to **212°**



WEIGHT CAPACITY 400 lbs evenly distributed

ten year warranty 10

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

1-2 DAY LIGHTNING SHIP





Features



19-Gauge Framing System



Attractive Arched Tube Leg Connectors For Added Strength


can withstand heat up to **212°**

Model Number
BT3636

Colors



Speckled Grey Plastic Grey Hammer Tone Frame



WEIGHT CAPACITY 500 lbs evenly distributed

ten year warranty 10

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

1-2 DAY LIGHTNING SHIP

Blow Molded Folding Tables



Dollies Category on Page 195

Compatible with DOLLY

TAD, DYMU, DY3072/DY3096






BT3072-20



Features



18-Gauge Legs



17-Gauge Framing System



Heavy Duty Wishbone Leg Structure



Extra Stable Gravity Lock

Colors



BT3000 series
Speckled Grey Plastic Grey Hammer Tone Frame



BT3072-20 series
Charcoal Slate Plastic Silvertone Frame (30"x72" only)

Model #	Size
BT3060	30”x60”
BT3072*	30”x72”
BT3096	30”x96”

*add -20 for Charcoal Slate

THREE SIZES AVAILABLE

can withstand heat up to 212°

1-2 DAY LIGHTNING SHIP

BT3060/BT3072 — WEIGHT CAPACITY 1000 lbs evenly distributed

BT3096 — WEIGHT CAPACITY 800 lbs evenly distributed

ten year warranty 10

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Adjustable Folding Tables



Brighten up your room to create a complete portable Furniture Suite, with these attractive, affordable, Quick Ship Tables!



Features



Lightweight 37lbs For Easy Setup and Transport



Adjustable Height From 22-28.5”

Colors



BTA-3072-40
Red Plastic
Black Frame




BTA-3072-04
Blue Plastic
Black Frame


Dollies Category on Page 195

Compatible with DOLLY

TAD, DYMU, DY3072/DY3096







1-2 DAY LIGHTNING SHIP

WEIGHT CAPACITY 1000 lbs
evenly distributed

ten year warranty 10

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards

Round Folding Tables



The perfect solution for your banquet & cafeteria use – indoor, outdoor, or any other application that calls for affordable, lightweight, weather resistant and highly durable folding tables.







Dollies Category on Page 195

Compatible with DOLLY

DY-60R, DY-71R, DYMU

1-2 DAY LIGHTNING SHIP

can withstand heat up to 212°

Features

All Round Tables

- Gravity Lock
- 2" Thick UV Protected Tabletop

BT48R/BT71R

- 19-Gauge Framing System
- 700 LBS Weight Capacity (evenly distributed)

BT60R

- 17-Gauge Framing System
- 1000 LBS Weight Capacity (evenly distributed)


Colors



Speckled Grey Plastic Grey Hammer Tone Frame

Model #	Size
BT48R	48"
BT60R	60"
BT71R	71"

THREE SIZES AVAILABLE



ten year warranty 10

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Fold-In-Half Tables





Features



Automatic Locking Device for Safe Setup



1.5" High-Density Polyethylene (HDPE) Top



Gravity Lock



First of Its Kind! Rounded Ends and Oblique Edges.



No Cross Bar Allows For Additional Seating At The End Of The Table



Powder-Coated 19-Gauge Steel Frame



Convenient Carrying Handle for Easy Transport



Lightweight 37lbs for Easy Setup and Transport

Colors



Speckled Grey Plastic Grey Hammer Tone Frame

Model Number
└ **BMFIH3072**



can withstand heat up to **212°**





Open dimensions:
71.8"L x 30"W x 29.5"H

Folded dimensions:
36"L x 30"W x 3.75"D



evenly distributed







products meet or exceed applicable ANSI/BIFMA standards

Flip-N-Store





Model Number Configuration

Model Number: BPFT-24

Length: 60

Color (if applicable): -20

BPFT-24 60-20

TWO SIZES AVAILABLE

24” Standard Width

Lengths

60” 72”

Colors



Charcoal Slate Top Silvertone Frame
(code: 20)



Speckled Grey Top Grey Frame
(no code)

Flip-N-Store





Roll In



Flip



Store



Features



Frame and Legs Are Made With Industrial Grade Powdercoated Steel



Perforated Steel Modesty Panel With a Built-in Cable Channel To Conceal Wires



Four 2" Casters (Two Locking) Enable Tables to Roll With Ease



Lightweight 37lbs for Easy Setup and Transport



Two Grommet Holes for Wire Management



Tables Nest for Easy Storage



Use Lever to Collapse Tables for Easy Storage



17-Gauge Steel Frame





evenly distributed









products meet or exceed applicable ANSI/BIFMA standards

Adjustable-Height Fold-In-Half Table





22" Height | **CHILDREN'S ACTIVITIES**

24" Height | **HOBBY TABLE**

NOW IN STOCK!



1 TABLE
4 HEIGHTS

INDOOR/OUTDOOR USE
UV-PROTECTED

Fold In Half



Discover the Perfect Adjustable-Height Fold-in-Half Table: Your ultimate companion for events, gatherings, and versatile spaces.

Adjustable-Height Fold-In-Half Table






29" Height | **OFFICE WORKSPACE**

35" Height | **PARTY AND EVENTS**

1-2 DAY LIGHTNING SHIP

Simplify Your Space: Unfold, Configure, Store, Repeat!



Features



1 3/4" Thick Industrial Grade Blow Molded Tabletop



Fold in Half for Easy Storage



Simple-Click Height Adjustment Mechanism



Gravity Lock with Clicking Mechanism for Added Stability



Powder-Coated 17-Gauge Framing System



Convenient Carrying Handle For Easy Transport



Heavy Duty Glides Provide a Secure Footing



can withstand heat up to **212°**

Colors



Speckled Grey Top
Grey Frame

Model Number
BFHT-2448A




evenly distributed

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards

ten year warranty 10

MAS CERTIFIED GREEN



Comfort Max Fold-In-Half Tables

Transform Any Space, Anytime: Comfortable, Foldable, and Ready to Impress!

NOW IN STOCK!

Quick Setup, Versatile Utility: Unfold, Use, and Store Easily!



Comfort Max Fold-In-Half Tables



Featuring Auto-Locking Technology



Seamless Comfort, Spacious Seating!




Rectangle and Round Tables Available!

Shared Features

Instant Setup: No assembly required!

Stain Resistant and Easy to Clean


Lightweight Design



Built-In Carry Handle



Durable Polyethylene Tabletop with Beveled Edges



Safety Gravity Locks Ensure Table Legs are Secure During Use

AUTO-LOCKING

Constructed with Industrial Strength Steel

Round Comfort Max Fold-In-Half Tables





Easy Trasportation & Storage!



Round Tables Features



2" Thick
Industrial Grade Blow
Molded Tabletop



Powder-Coated
19-Gauge
Framing System



18-Gauge Legs
with Non-Slip Glides

Colors




Speckled Grey Top
Grey Frame

can withstand heat up to **212°**

WEIGHT CAPACITY 700 lbs

evenly distributed

Model #	Size
CMFIH48R	48"
CMFIH60R	60"



1-2 DAY LIGHTNING SHIP

ten year warranty 10

CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Rectangle Comfort Max Fold-In-Half Tables






Easy Trasportation & Storage!



Rectangular Tables Features



1.75" Thick Industrial Grade Blow Molded Tabletop



Powder-Coated 18-Gauge Framing System



18-Gauge Legs with Non-Slip Glides

Colors




Speckled Grey Top Grey Frame

can withstand heat up to **212°**

WEIGHT CAPACITY 700 lbs

evenly distributed

Model #	Size
CMFIH3060	30" x 60"
CMFIH3072	30" x 72"
CMFIH3096	30" x 96"



1-2 DAY LIGHTNING SHIP

ten year warranty 10

CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards



Elevate your picnics with our fold-flat table! Lightweight, durable, and colorful. The perfect outdoor/indoor companion

NOW IN STOCK!

New Picnic Tables

Picnic Tables




4 COLORS *AVAILABLE*

Picnic Tables








Compactly folds to just 3" high, saving valuable storage space!



Instant Picnic Magic: Set Up, Enjoy, Store with Ease!

Open



Use



Store




Picnic Tables



Seats Up to
8 People Comfortably

Stain Resistant
and Easy to Clean



Blow Molded
Plastic with Wood
Grain Texture



Industrial Grade 18-Gauge
Powdercoated Weather
Resistant Steel Frame that is
Durable and Protects Against
Rusting and Corrosion

Tamper-Proof
Bench Connection.
Locked in Place for Good!

TABLE WEIGHT CAPACITY 1000 lbs
evenly distributed

BENCH WEIGHT CAPACITY 800 lbs
evenly distributed

can withstand heat up to 212°

1-2 DAY LIGHTNING SHIP

CERTIFIED GREEN

ten year warranty 10

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards

Features



1.6" Thick Industrial Grade HDPE Blow Molded Tabletop



Fold-Flat to a Convenient Height of 3" for Easy Storage and Transportation



2.5" Umbrella Hole and Cover



Industrial Grade 18-Gauge Framing System



Gravity Lock with Clicking Mechanism for Added Stability




Non-Marring Glides for a Secure Footing without Marking Floors

Colors



BMPT3072-BK02	BMPT3072-BR03	BMPT3072-BK04	BMPT3072-BK06
Light Speckled Grey Black Frame	Brown Brown Frame	Blue Black Frame	Green Black Frame



Open Overall Dimensions:
29.5" H x 57" D x 72" W

Folded dimensions:
3" H X 57" D x 72" W



PREMIUM FOLDING & FLIPPER TABLES

MAX Seating™
MSFT, MSFB



Flipper Tables
MFT



MAX Seating Tables™





EXCLUSIVELY PATENTED BY NPS

MAX SEATING™ FOLDING TABLE
PATENTED
INNOVATIVE ENGINEERING AND DESIGN

Features


16-Gauge C-Channel Frame


2-Point Welded Leg Brace


14-Gauge 1.25" Square Leg Tubing Legs


Proprietary Leg Clips Secure Legs When Folded


Auto-Engage Locking Mechanism


High-Impact, Non-Marring Spring Steel Flower Glides


Folding/Locking Mechanisms Exceeded 7,000 Cycle Tests


Legs at Table Corners for Max Seating™


Nylon Corners With Standoff for Scratch-Free Stackability


14-Gauge Stability Boost Leg Brackets

WEIGHT CAPACITY 500 lbs

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

MAX Seating Tables™















Leg Design Options


**Use leg code MSFE for 30" high elevated standard legs*



29"H | Standard*
(MSFT)



29"H | Cantilever
(MSFTC)



NO WISHBONE LEGS
FOR ZERO OBSTRUCTION
MAX SEATING™ SPACE

Tabletops

Custom tabletop core and surfaces available

PAGE 233 | Laminate and Edge Design Options




Particleboard with T-Molding
.75" Core | HPL Surface
T-molding
(PB TM)




Particleboard with 3mm PVC Edge
.75" Core | HPL Surface
3mm Hot-Melt PVC Edge
(PB EB)



MDF with Protect Edge
.75" Core | HPL Surface
Protect Edge
(MD PE)



Plywood with Protect Edge
.75" Core | HPL Surface
Protect Edge
(PW PE)



Plywood with T-Molding
.75" Core | HPL Surface
T-molding
(PW TM)



Plywood with 3mm PVC Edge
.75" Core | HPL Surface
3mm Hot-Melt PVC Edge
(PW EB)

MAS CERTIFIED GREEN for a healthier indoor environment

TAA

DESIGNED, ENGINEERED & ASSEMBLED IN THE U.S.A. WITH GLOBAL MATERIALS

Standard Leg Placement



Size (Width/Length in inches)

1848*	1860	1872	1884	1896	18120
2448*	2460	2472	2484	2496	24120
3048*	3060	3072	3084	3096	
3648*	3660	3672	3684	3696	
48RD	60RD	72RD	RD= Round		

Avilable in Cantilever Leg

**48" Long Rectangle Tables Do Not Fold Flat*

|←→| *See Next Page for Custom Sizes and Recessed Leg Options*

Model Number Configuration

Leg Design Code | Core | Edge

MSFT 2460 PW EB GY

Width/Length | Laminate Color

7 Day Quickship Models:


- *MSFT1872PMDPECE (Carbon EV)*
- *MSFT1872PMDPEPN (Pinnacle Walnut)*
- *MSFTC1872PMDPECE (Carbon EV)*
- *MSFTC1872PMDPEPN (Pinnacle Walnut)*
- *MSFT1896PMDPECE (Carbon EV)*
- *MSFT1896PMDPEPN (Pinnacle Walnut)*
- *MSFTC1896PMDPECE (Carbon EV)*
- *MSFTC1896PMDPEPN (Pinnacle Walnut)*

Custom Size Tables

Upcharge and extended lead time apply

We can build any length tabletop on the smaller size frame (up to 120" long).

We will install it onto the closest smaller size frame (60",72", 84" & 96" Length).



Model Number Configuration

Custom Length


MSFT 24**108** PW EB GY

Recessed Legs

**Available only for rectangle shape | Upcharge and extended lead time apply*

Table legs can be recessed to your ideal placement to help maximize seating space. When recessing legs, only the legs for which a dimension is noted will be recessed. Any non-specified legs will be mounted at the standard placement.

To recess the right leg:
Add **R** followed by distance from the edge of the tabletop at the end of model number (i.e. R12)
To recess the left leg:
Add **L** followed by distance from the edge of the tabletop at the end of model number (i.e. L8)



Model Number Configuration

Right Leg Recessed Distance from Edge

MSFT 2448 PW EB GY **R12 L8**

Left Leg Recessed Distance from Edge

Please note:

- **All testing was conducted with standard tabletop and leg configurations. Recessing legs or customizing tabletops may cause table to be susceptible to tipping.**
- **Please allow up to 2 inch tolerance.**



Compact Wood Folding Bench

Same Heavy Duty structure as MAX Seating Tables





Tabletops

Custom tabletop core and surfaces available



Particleboard with T-Molding
.75" Core | HPL Surface
T-molding
(PB TM)



Particleboard with 3mm PVC Edge
.75" Core | HPL Surface
3mm Hot-Melt PVC Edge
(PB EB)



MDF with Protect Edge
.75" Core | HPL Surface
Protect Edge
(MD PE)



Plywood with Protect Edge
.75" Core | HPL Surface
Protect Edge
(PW PE)



Plywood with T-Molding
.75" Core | HPL Surface
T-molding
(PW TM)



Plywood with 3mm PVC Edge
.75" Core | HPL Surface
3mm Hot-Melt PVC Edge
(PW EB)

PAGE 233 | Laminate and Edge Design Options

Maximize Comfort, Maximize Space: Your Perfect Pairing for Ultimate Seating



Model Number Configuration

Prefix | Core | Edge

MSFB 1572 PW EB GY

Width/Length | Laminate Color

Sizes

- 15"x60"
- 15"x72"
- 15"x96"

WEIGHT CAPACITY 1000 lbs

TAA

ten year warranty 10

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

FLIPPER TABLES



Roll In



Flip



Store



Flip It, Nest It, Love It! The Ultimate Space-Saving Flipper Tables

AVAILABLE
APRIL 2025




Mobile Flipper Table




Dual Handle for Easy Flip

A dual-handle mechanism designed for smooth and controlled flipping of the tabletop, ensuring convenience and durability.



Safety Lock

Automatically engages when the tabletop flips up, securely catching it in place to ensure stability during transit or movement and prevent accidental falls. Simply lift the handle to release and set up the tabletop.



Nesting Bumpers





Curved Base Design

An elegantly curved base that enhances stability and adds a touch of sophistication to any space.

Heavy-Duty Construction

Featuring gussets and clamped leg connections secured with robust bolts, designed to endure heavy use while maintaining exceptional structural integrity.

Mobile Flipper Table



THREE HEIGHTS AVAILABLE



29" TABLE HEIGHT



36" TABLE HEIGHT



42" TABLE HEIGHT

Features



Heavy Duty 3" Locking Casters



11-Gauge Steel Frame



Automatic Safety Lock



Tables Flip and Nest for Simple Storage

Model Number Configuration

Model Number — Height

MFT10 2448 1 MDPE GY

Width/Length — Top — Laminate Color (if Applicable)

Tabletop Options



1.2" MDF Core
HPL Surface
Protect Edge
(MDPE)



1.2" Particleboard Core
HPL Surface
T-Mold
(PBTM)



1.2" Particleboard Core
HPL Surface
3mm Hot-Melt PVC Edge
(PBEB)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
PVC Edge Banding
(WB)

PAGE 233 | Laminate and Edge Design Options

Rectangular Size (Width/Length in inches)

1848	1860	1872	1896
2448	2460	2472	2496
3048	3060	3072	3096
3648	3660	3672	3696
4248	4260	4272	4296
4848	4860	4872	4896

Round (Diameter in inches)

48RD 60RD

Height	Description
1	29" Dinning Height
2	36" Counter Height
3	42" Bar Height

7 DAY QUICK SHIP OPTIONS AVAILABLE

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

ADA

MAS CERTIFIED GREEN

ten year warranty 10

TAA

STEEL TABLES

Titan
TT



Heavy Duty
HDT, HDTD, HDTA



Heavy Duty Accessories
TRAY-KIT, TBK



Titan Table





EXCLUSIVELY PATENTED BY NPS

TITAN TABLE **PATENTED** INNOVATIVE ENGINEERING AND DESIGN

Features



14-Gauge Legs Are Set at a 94 Degree Angle



Tamper-Free Hardware



Super-Duty Sheet-Metal Apron Design



Undertable Hat Structure for Ultimate Durablilty



Legs Are Fastened With a Double Bolt and Four Screw Connection



6 Millimeter Thick Foot Plate for Extreme Strength



Tables Ship With Frame Pre-Installed



Apron Is Constructed from 14-Gauge Steel

THREE HEIGHTS AVAILABLE

Frame Color



Soft Grey

Titan Table





Enhance your Makerspace with Tote Tray Storage!
Compatible with Tables 48" and wider
See Page 95 for Tote Kit Information



Heights

30" (1)	36" (2)	40" (3)

Model Number Configuration

Prefix: TT02 | Casters/Glides: 2448 G | Height: 1 | Top: PBTM | Laminate Color (if applicable): GY

TT02-2448 G 1 PBTM GY

Width/Length: 2448 | Height: 1 | Laminate Color (if applicable): GY

TAA

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards

DESIGNED, ENGINEERED & ASSEMBLED IN THE U.S.A. WITH GLOBAL MATERIALS

GREENGUARD GOLD CERTIFIED GREEN

ten year warranty 10

Table Foot Options



4" Lock Casters
Constructed with Polyamide Plus TPU Tread
(C)



Super-Duty Steel Glides
Powercoated Grey
Felt base rubber foot
(G)

Size (Width/Length in inches)

2436	2442	2448	2454	2460	2472	2484	2496
3036	3042	3048	3054	3060	3072	3084	3096
3636	3642	3648	3654	3660	3672	3684	3696
4242	4248	4254	4260	4272	4284	4296	
4848	4854	4860	4872	4884	4896		


- Quick ship tables available, choose from tops B, W, C, P
- Quick ship tables available, choose from tops P and C
- Quick ship tables available with top C only

Standard lead time is 8 weeks. Quick ship lead time is 7 days.

Tabletops



High Pressure Laminate
1.2" Particleboard Core
HPL Surface | T-molding (PBTM)



High Pressure Laminate
1.2" MDF Core
HPL Surface | Protect Edge (MDPE)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface | PVC Edge Banding
(W)



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Trespa
.75" Cellulose Core
Designer Beveled Edges
(T)



Butcherblock
1.75" Solid Maple Wood
Proprietary UV Finish
(B)

See page 239 for warranty, finish options and care instructions.

PAGE 233 | Laminate and Edge Design Options

Heavy Duty Tables




Heavy Duty Tables Specs

Tabletops



Standard High Pressure Laminate
.75" particleboard core
HPL Surface | T-molding
(H)



Supreme High Pressure Laminate
1.2" MDF core
HPL Surface | Protect Edge
(S)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
| PVC Edge Banding
(W)



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Trespa
.75" Cellulose Core
Designer Beveled Edges
(T)



Epoxy
1" Solid Epoxy
Designer Beveled Edges
(E)



Butcherblock
1.75"Solid Maple Wood
Proprietary UV Finish
(B)

See page 239 for warranty, finish options and care instructions.


PAGE 233 | Laminate and Edge Design Options

The **NPS Heavy Duty Table** is ideal for any makerspace environment. The 16-Gauge apron and 14-Gauge legs make this table virtually indestructible. Available with either fixed or adjustable height legs. Adjustable legs can be raised in 1" increments and are locked firmly in place with 2 K-9 external tooth lock washers and heavy duty tamper-free hex screws. All legs come standard with simple-adjust glides and have a caster option for easy mobility.
Play. Work. Study.


EXCLUSIVELY PATENTED BY NPS
PERSONAL LAB TABLE WITH STEEL FRAME
PATENTED
INNOVATIVE ENGINEERING AND DESIGN

Table Sizes

Width Options



Length Options



Leg Construction

Fixed Height Legs:



Adjustable Height Legs:



Standard Features



Corner Brackets Bolted Onto Frame



Dual-Side Leg Connection



Welded 12-Gauge Leg Top Plate



Adjustable Legs Adjust in 1" Increments



11-Gauge Welded Support Brackets



16-Gauge Channel Frame



Leveling Glides Can Add up to 3/4" Height to Table



Exceeds 500lbs. Static Weight Capacity

Heavy Duty Table Specs

Optional Accessories

Casters

3" Heavy-Duty Casters



- 4 Heavy Duty Swivel Locking Casters
- Increases the Table Height by 3¼"
- A Set of Gussets Is Included With Casters

Corner Gussets



- 13-Gauge Steel
- Tamper-Free Hardware
- All tables wider than 30", longer than 72" will include a set of gussets
- Recommended When Using Tables Above 30" High



Peg Boards

Available for 24" and 30" Tables



- Two 16-Gauge Industrial Grade Peg Boards Included in Each Set
- Variety Set of 50 7-Gauge Chromed Pegs Included With Each Peg Board Set
- Holes Spaced 1" Apart
- Assembled With Tamper-Free Self-Tapping Screws

Model Number Configuration

Model Number | Size | Top

HDT3 2448 H GY

Frame Number | Color (if applicable)

All tables wider than 30", longer than 72", or with Epoxy/Trespa tabletops will include a set of gussets

Accessories Model Number Configuration

Core Model #

CAST-3

Frame #

Model#	Description
CAST-	4 heavy duty casters and gusset
PEG24-	2 Peg boards with 50 Pegs for 24"W Tables
PEG30-	2 Peg boards with 50 Pegs for 30"W Tables

(for example, "3" should be used for accessories used for table frame # HDT3)

Frame#	Description
HDT3	Heavy Duty Table, Height Adjustable, Textured Black
HDT7	Heavy Duty Table, Fixed Height Legs, Textured Black
HDT8	Heavy Duty Table, Height Adjustable, Soft Grey
HDT9	Heavy Duty Table, Fixed Height Legs, Soft Grey

Frame Color Options



Textured Black | Soft Grey

Size (Width/Length in inches)

1824	1830	1836	1842	1848	1854	1860	1872	1884	1896
2424	2430	2436	2442	2448	2454	2460	2472	2484	2496
3030	3036	3042	3048	3054	3060	3072	3084	3096	
3636	3642	3648	3654	3660	3672	3684	3696		
4242	4248	4254	4260	4272	4284	4296			
4848	4854	4860	4872	4884	4896				

- Quick ship tables available, choose from tops B, W, C, P, and H with grey nebula laminate
- Quick ship tables available, choose from tops P and C
- Quick ship tables available with top C only

Standard lead time is 8 weeks. Quick ship lead time is 7 days.

Top	Description/Edge
B	1.75" Solid Maple Butcherblock/UV Finish
W	1.25" Whiteboard/PVC Edge Banding
H	.75" Standard High Pressure Laminate with T-Mold
S	1.25" Supreme High Pressure Laminate with Protect Edge
C	1" Chem-Res/3mm Edge Banding
P	.75" Solid Phenolic/Beveled Edge
T	.75" Solid Trespa/Beveled Edge
E	1" Solid Epoxy/Beveled Edge

Using Epoxy tables in mobile applications with casters voids the warranty.

TAA OPTIONS AVAILABLE

DESIGNED, ENGINEERED & ASSEMBLED IN THE U.S.A. WITH GLOBAL MATERIALS

ten year warranty 10

BIFMA INTERNATIONAL


ANSI products meet or exceed applicable ANSI/BIFMA standards

Heavy Duty Designer Table Specs

Tabletops



High Pressure Laminate
1.2" Particleboard Core
HPL Surface | T-molding
(PBTM)



High Pressure Laminate
1.2" MDF Core
HPL Surface | Protect Edge
(MDPE)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
PVC Edge Banding
(W)



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Trespa
.75" Cellulose Core
Designer Beveled Edges
(T)



Butcherblock
1.75"Solid Maple Wood
Proprietary UV Finish
(B)

See page 239 for warranty, finish options and care instructions.

PAGE 233 | Laminate and Edge Design Options

Standard Features


Innovative Designer Apron


Corner Brackets Bolted Onto Frame


Welded 12-Gauge Leg Top Plate


4-Gauge Full-Length Apron Support Plate


Designer Apron ADA Compliant


Adjustable Legs Adjust in 1" Increments



Leveling Glides Can Add up to 3/4" Height to Table



Exceeds 500lbs. Static Weight Capacity


Table Sizes

Width Options




All Widths/Lengths smaller than 30" feature Standard Non-Designer Aprons

Length Options



Leg Construction

Fixed Height Legs:



Adjustable Height Legs:



Optional Accessories

Casters


Optional 4 Heavy-Duty Swivel Locking 3" Casters
Increases the Table Height by 3¼"

Model Number CAST-D X (Frame #)

Corner Gussets


11-Gauge Steel Gussets, Featuring Tamper-Free Hardware

Model Number GUSD-XX (Frame Color: *(Black "10" or Grey "02")*)

Peg Boards


Two 16-gauge steel Peg Boards assembled with tamper-free screws and 50 7-gauge chromed pegs spaced 1" apart.

Model Number PEG 24-X (Frame #; Size: *(24" or 30" Width)*)

Frame#	Description
3	Height Adjustable, Textured Black
7	Fixed Height Legs, Textured Black
8	Height Adjustable, Soft Grey
9	Fixed Height Legs, Soft Grey

Size (Width/Length in inches)

1824	1830	1836	1842	1848	1854	1860	1872	1884	1896
2424	2430	2436	2442	2448	2454	2460	2472	2484	2496
3030	3036	3042	3048	3054	3060	3072	3084	3096	
3636	3642	3648	3654	3660	3672	3684	3696		
4242	4248	4254	4260	4272	4284	4296			
4848	4854	4860	4872	4884	4896				

- Quick ship tables available, choose from tops B, W, C, P, and PBTM with grey nebula laminate
- Quick ship tables available, choose from tops P and C
- Quick ship tables available with top C only

Standard lead time is 8 weeks. Quick ship lead time is 7 days.

Model Number Configuration

Model Number | Frame Code | Tabletop

HDTD 3 3060 PBTM GY T

Size | Laminate Color (if applicable)

Add "T" here for Pre-Installed Tote Tray Holders
See Page 95 for Tote Tray Holder Specs

ten year warranty 10

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

SCS CERTIFIED GREEN

ADA

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards



NOW IN STOCK!

NEW

Classroom Innovation:

Elevate Learning with Our Dynamic Shape-Shifting Heavy-Duty Activity Tables!

Heavy Duty Activity Tables Shapes

TRAPEZOID



SQUARE



ROUND



SEMICIRCLE



HEXA | *Designer Shape*



PATENT PENDING BY NPS — HEAVY DUTY ACTIVITY TABLES SHAPES — PATENT PENDING — INNOVATIVE ENGINEERING AND DESIGN — PATENT PENDING BY NPS

TRI | *Designer Shape*



Heavy Duty Activity Table Specs

EXCLUSIVELY PATENTED BY NPS
HEAVY-DUTY ACTIVITY TABLE
PATENTED
INNOVATIVE ENGINEERING AND DESIGN



WEIGHT CAPACITY 500 lbs

Exceeds 500lbs.
Static Weight Capacity

Standard Features


Heavy-Duty Activity 11-Gauge Leg Mount


Dual-Side Leg Connection


Additional Reinforcement Screws


ADA Compliant


Adjustable Legs Adjust in 1" Increments



Patent Pending Leg Mount Gusset Design


Welded 12-Gauge Leg Top Plate


Leveling Glides Can Add up to 3/4" Height to Table

Tabletops

PAGE 233 | Laminate and Edge Design Options


High Pressure Laminate
1.2" MDF Core
HPL Surface | Protect Edge
(MDPE)


High Pressure Laminate
1.2" Particleboard Core
PVC Edge Banding
(PBEB)


High Pressure Laminate
1.2" Particleboard Core
HPL Surface | T-molding
(PBTM)


Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
PVC Edge Banding
(W)


Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)

Casters


Model Number
SLT-CAST


Optional 4 Heavy-Duty Swivel Locking 3" Casters

Increases the Table Height by 3¼"

Leg Construction

Fixed Height Legs:



Adjustable Height Legs:



Frame Color Options


Textured Black


Soft Grey

Frame#	Description
3	Height Adjustable, Textured Black
7	Fixed Height Legs, Textured Black
8	Height Adjustable, Soft Grey
9	Fixed Height Legs, Soft Grey

Shapes


Trapezoid (TZ)


Tri (TR)


Square (SQ)


Semicircle (SC)


Hexa (HX)


Round (RD)

Trapezoid Sizes (TZ)
(Width/Length in Inches)

2448	2454	2460	2472
	3054	3060	3072

Tri Sizes (TR)
(Width/Length in Inches)

2454	2460
3054	3060

Square Sizes (SQ)
(Width in Inches)

24	30	36	42	48

Semicircle Sizes (SC)
(Diameter of Full Circle in Inches)

48	60

Hexa Sizes (HX)
(Width/Length in Inches)

2454	2460	2472
	3060	3072

Round Sizes (RD)
(Diameter in Inches)

36	42	48	60

Model Number Configuration

Model Number ↓ **HDTA 3** Frame Number
Shape ↓ **TZ** Size
3060
Tabletop ↓ **PBTM** Laminate Color (if applicable)
GY

ten year warranty 10

SMAS CERTIFIED GREEN

ADA

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards

Tote Tray Holder

Get Tote-ally Organized!



Tote Tray Holder Specs

NOW IN STOCK!


NEW

Tote Tray Holder

Tray Holder Dimensions 15.8" L x 12.9" W x 1.7" H

Create an Organized and Inviting Learning Atmosphere with Multishaped Tables and Integrated Tote Tray Holders, Tailored for Educational Excellence







PATENT PENDING BY NPS

TOTE TRAY HOLDER
PATENT PENDING
INNOVATIVE ENGINEERING AND DESIGN

SIMPLE ASSEMBLY TRAY HOLDERS

Compatible Tables:
HDTD Series 30" and wider, HDTA Series, Titan Series 48" and wider, and CT Series.

Features




Trays are Made of Heavy-Duty Translucent Polypropylene Material



Tray Holders Feature a Single Rail Made of 14-Gauge Steel



Trays Feature Built-In Name Card Slots



Trays Feature a Built-in Handle and Smooth Edges

Holder Color Options



Textured Black (10)



Soft Grey (02)

Model Number Configuration

Tote Tray Holder Prefix

TOTE-KIT-10

Tray Holder Color

Perfect Match!

Use with our Mobile Science Cart with Tote Trays MSC04



MAS CERTIFIED GREEN

ten year warranty 10

1-2 DAY LIGHTNING SHIP

Robotics Bumper Kit



NEW

NOW IN STOCK!



*Discover the future of robotic safety with our versatile and heavy-duty **Robotics Bumper Kit**! Ideal for all types of robotic environments, this kit can be seamlessly installed on almost any rectangular table, both new and existing.*

Robotics Bumper Kit Specs





PATENT PENDING BY NPS

BUMPER KIT
PATENT PENDING
INNOVATIVE ENGINEERING AND DESIGN

Convert any Table into a Fun Hub with Our Easy-Install Bumper Kit!




Kit Includes:

- 4 Corner Brackets
- 4 Side Clamps
- 4 Bumper Panels

TOOL FREE INSTALLATION

Personalized for You!



Specify the width and length of your rectangular tabletop for your Bumper Kit preparation, ensuring it is of the same size. Ensure there are no obstructions within 1.5 inches from the edge of the tabletop so that the bumper system can be securely mounted.

Note: Compatible with all NPS Rectangular Tables except SLT6 and MSFT

Standard Features



Simplified Setup with Tool Free Assembly



Compatible with Tabletops up to 1.75" thick



Center Clamps for Ultimate Security



Unique Bumper Style Compatible with Wood or Acrylic Panels



Heavy-Duty Knob Assembly Ensures Unit is Secure when in Use and Allows for Simple Takedown



Corners Brackets and Side Clamps are constructed of 13-Gauge and 6-Gauge Steel Parts

Bumper Type *Bumper Panels are 4" High*



Optix® Acrylic Bumper
Clear Acrylic
(CA)



Wood Bumper
Particleboard Core
HPL Black Surface
PVC Edge Banding
(PBEBBK)

Corners Color



Black Powdercoating

Model Number Configuration

Prefix — Bumper Type

TBK-3072-CA

Width/Length

ten year warranty 10

MAS CERTIFIED GREEN

AERO-LIFT TABLES





Introducing...
the NEW Aero-Lift Tables Series:
Elevate Your Space!

AVAILABLE
APRIL 2025

CHOOSE YOUR PERFECT STYLE

WOOD FRAME TABLE



STEEL FRAME TABLE



STEEL DESIGNER FRAME TABLE




ACTIVITY TABLE



Designed for Every Space!

SIGNATURE TABLE





PATENT PENDING
BY NPS

AERO-LIFT LEG
PATENT PENDING
INNOVATIVE ENGINEERING AND DESIGN




Precision in Every Lift:
Aero-Lift Leg System
Adjusts Without Power, and Stays Steady at Any Height.

ADA

UNIQUE FEATURES




Super Duty 6-Gauge Steel Leg Brackets Secure Legs to Tabletop



Legs Adjust in 3/4" Increments from 27"-42"H Featuring Laser Marked Level Numbers



Legs are constructed with 2⅜" Square 16-Gauge Powercoated Black Steel Tubing



Extended Footprint Glides On The Legs Offer A Secure Grip When Adjusting

Wood Frame Tables






PAGE 233 Laminate and Edge Options

Tabletops




High Pressure Laminate
.75" Particleboard Core
HPL Surface | T-molding
(HPBTM)



High Pressure Laminate
.75" MDF Core
HPL Surface | Protect Edge
(HMDPE)



High Pressure Laminate
1.2" Particleboard Core
HPL Surface | T-molding
(SPBTM)



High Pressure Laminate
1.2" MDF Core
HPL Surface | Protect Edge
(SMDPE)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
PVC Edge Banding
(W)



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Epoxy
1" Solid Epoxy Resin
Designer Beveled Edges
(E)



Trespa
.75" Cellulose Core
Designer Beveled Edges
(T)



Butcherblock
1.75" Solid Maple Wood
Proprietary UV Finish
(B)

See page 239 for warranty, finish options and care instructions.

Features



Solid Ash Frame



Legs Attach with Metal on Metal Double Bolt Assembly



Available With Book Compartments

See Page 101 for Shared Features

Casters

Model Number
CAST-ALT



Optional 4 Heavy-Duty Swivel Locking 3" Casters

Increases the Table Height by 3¼"

Size (Width/Length in inches)

2430	2448	2454	2460	2472
3030	3060	3072		

Add-on	Description
B	Book Compartments

Model Number Configuration

Model Number | Size | Top | Add-Ons

ALT10 -WA 2448 SPBTM GY B

Wood Frame | Laminate Color (if applicable)

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards

7 DAY QUICK SHIP OPTIONS AVAILABLE

WEIGHT CAPACITY 500 lbs

ten year warranty 10

MAS CERTIFIED GREEN

Steel Frame Tables





Tabletops



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Epoxy
1" Solid Epoxy Resin
Designer Beveled Edges
(E)



Trespa
.75" Cellulose Core
Designer Beveled Edges
(T)



Butcherblock
1.75" Solid Maple Wood
Proprietary UV Finish
(B)

See page 239 for warranty, finish options and care instructions.

See Page 101 for Shared Features

Features



11-Gauge Welded
Support Brackets



16-Gauge
Channel Frame



Legs Attach with
Metal on Metal Double
Bolt Assembly

Casters

Model Number
CAST-ALT



Optional 4 Heavy-Duty
Swivel Locking 3" Casters
Increases the Table Height by 3¼"

Size (Width/Length in inches)

			1842	1848	1854	1860	1872
2424	2430	2436	2442	2448	2454	2460	2472
	3030	3036	3042	3048	3054	3060	3072

Model Number Configuration

Model Number — Size — Top

ALT10 -SB 2448 C

Apron Color

Apron Color Options



Textured Black
(SB)



Soft Grey
(SG)

WEIGHT CAPACITY 500 lbs

7 DAY QUICK SHIP OPTIONS AVAILABLE

ten year warranty 10

MAS CERTIFIED GREEN for a healthier indoor environment

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Designer Steel Frame Tables



Innovative Designer Apron



See Page 101 for Shared Features

Tabletops



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Epoxy
1" Solid Epoxy Resin
Designer Beveled Edges
(E)



Trespa
.75" Cellulose Core
Designer Beveled Edges
(T)



Butcherblock
1.75" Solid Maple Wood
Proprietary UV Finish
(B)

See page 239 for warranty, finish options and care instructions.

Features



Innovative Designer Apron



4-Gauge Full-Length Apron Support Plate



Legs Attach with Metal on Metal Double Bolt Assembly

Casters

Model Number
CAST-ALT



Optional 4 Heavy-Duty Swivel Locking 3" Casters

Increases the Table Height by 3¼"

Size (Width/Length in inches)

		1842	1848	1854	1860	1872
2430	2436	2442	2448	2454	2460	2472
3030	3036	3042	3048	3054	3060	3072

Please Note:



All Widths/Lengths smaller than 30" feature Standard Non-Designer Aprons

7 DAY QUICK SHIP OPTIONS AVAILABLE

Apron Color Options



Textured Black
(DB)



Soft Grey
(DG)

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards

GREENGUARD GOLD CERTIFIED GREEN

WEIGHT CAPACITY 500 lbs

Model Number Configuration

Model Number: **ALT10 -DB 2448 C**

- ALT10 — Model Number
- -DB — Apron Color
- 2448 — Size
- C — Top

ten year warranty 10


Activity Tables

Shape Your Vision, Lift Your Ideas

Trapezoid



Square



Round



Semicircle



Hexa



Tri





Solid Support, Sleek Design: Featuring Super-Duty Brackets that Perfectly Anchor the Aero-Lift Legs

See Page 101 for Shared Features


Features



11-Gauge Bracket Fastened to Tabletop with 9 Heavy-Duty Screws

Tabletops

PAGE 233 | Laminate and Edge Design Options



High Pressure Laminate
1.2" MDF Core
HPL Surface | Protect Edge
(SMDPE)



High Pressure Laminate
1.2" Particleboard Core
PVC Edge Banding
(SPBEB)



High Pressure Laminate
1.2" Particleboard Core
HPL Surface | T-molding
(SPBTM)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
PVC Edge Banding
(WB)



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)

Casters

Model Number **CAST-ALT**



Optional 4 Heavy-Duty Swivel Locking 3" Casters

Increases the Table Height by 3¼"

Trapezoid Sizes (TZ)
(Width/Length in Inches)

2448	2454	2460	2472
	3054	3060	3072

Tri Sizes (TR)
(Width/Length in Inches)

2454	2460
3054	3060

Square Sizes (SQ)
(Width in Inches)

24	30	36	42	48

Hexa Sizes (HX)
(Width/Length in Inches)

2454	2460	2472	
	3060	3072	

Semicircle Sizes (SC)
(Diameter of Full Circle in Inches)

48	60

Round Sizes (RD)
(Diameter in Inches)

36	42	48	60

Model Number Configuration

Model Number ↓ **ALT10A** - Shape ↓ **TZ** Size ↑ **3060** Tabletop ↓ **SPBTM** Laminate Color (if applicable) ↑ **GY**

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards


7 DAY QUICK SHIP OPTIONS AVAILABLE

ten year warranty 10

MAS CERTIFIED GREEN

Signature Tables





Tabletops



High Pressure Laminate
.75" Particleboard Core
HPL Surface | T-molding
(L)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
| PVC Edge Banding
(W)



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Butcherblock
1.75" Solid Maple Wood
Proprietary UV Finish
(B)

See page 239 for warranty, finish options and care instructions.

PAGE 233 | Laminate and Edge Design Options

See Page 101 for Shared Features

WEIGHT CAPACITY 500 lbs


Features



1.2" Thick Reinforcement Board Under Tabletops for Added Strength



Super-Duty Brackets Perfectly Anchor the Aero-Lift Legs



14-Gauge Brackets Fastened to Tabletop with 9 Heavy-Duty Screws

Casters

Model Number
CAST-ALT



Optional 4 Heavy-Duty Swivel Locking 3" Casters
Increases the Table Height by 3¼"

Size (Width/Length in inches)

2448	2454	2460	2472
3060			

Model Number Configuration

Model Number — Size — Top

ALT10-SI - 2448 L GY

Laminate Color (if applicable)

MAS CERTIFIED GREEN for a healthier indoor environment

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards



SCIENCE

Science Cabinet
MSC



Science Workstation
WSH



Science Tables
SLT1, SLT2, SLT3, SLT7, SLT8, SLT9, SLTD, SLTA



Aero-Lift Tables
ALT



MOBILE SCIENCE CABINETS



Mobile Science Cabinets



A Cabinet for Everyone!

Models













Shared Features



All Carts Include 4 Swivel Casters, 2 Locking



Oak Veneer Plywood Core Cabinet and Shelves




Modern Two-Tone Black Edge and Hardware on Oak Panel Look



Doors Feature Five-knuckle Wrap-Around Hinges



Doors/Drawers Lock To Keep Contents Safe



Magnetic Ganging to Connect Multiple Cabinets and Form a Worksurface



All Carts are the Same Height (Excluding MSC05), to Enable Seamless Connection with Gangers



10-Outlet + 4 USB Input Surge Protected Power Strip, 15ft Cord, and Built-in Hook
(Available only for MSC01, MSC02, MSC03, and MSC06)

Tabletops



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(Standard)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(Add code "P")

7 DAY QUICK SHIP

ten year warranty 10

MAS CERTIFIED GREEN for a healthier indoor environment

TAA

Mobile Science Cabinet
with Shelving

Maximize Storage and Efficiency with Our Science Cabinet Featuring Two Long Shelves!





Standard Chem-Res Model#
MSC01
Phenolic Model#
MSC01P

Dimensions

Overall	28"W x 48"L x 36.25"H

7 DAY QUICK SHIP

Two Adjustable Height Shelves

See Page 112 for Shared Features

BUILT-IN MAGNETIC GANGING

BUILT-IN POWERSTRIP

4 SWIVEL CASTERS 2 LOCKING

Mobile Science Cabinet
with Inner Drawers and Shelf

Unleash Organization with 4 Inner Drawers + 1 Shelf







Four Concealed Drawers

Adjustable Height Shelf

7 DAY QUICK SHIP

Dimensions

Overall	28"W x 48"L x 36.25"H

Standard Chem-Res Model#
MSC02
Phenolic Model#
MSC02P

Mobile Science Cabinet

with External Drawers and Pegboard

Smart Science, Smart Storage – Unleash the Possibilities.



Three External Drawers
and a Pull-out Shelf on Slides



Pullout Pegboard
With 50 Assorted Pegs

Adjustable Height Shelf

Standard Chem-Res Model#
MSC03
Phenolic Model#
MSC03P

Dimensions

Overall	28”W x 48”L x 36.25”H

7 DAY QUICK SHIP

See Page 112 for Shared Features

BUILT-IN MAGNETIC GANGING · BUILT-IN POWERSTRIP · 4 SWIVEL CASTERS 2 LOCKING

Mobile Science Cabinet

with Inner Drawers and Pegboard

Optimize Space with 4 Inner Drawers + 1 Pegboard.







Four Concealed Drawers

Pullout Pegboard
With 50 Assorted Pegs

Standard Chem-Res Model#
MSC06
Phenolic Model#
MSC06P

7 DAY QUICK SHIP

Dimensions

Overall	28”W x 48”L x 36.25”H

Mobile Science Cabinet
with Tote Trays

Where Organization Meets Mobility: 24 Tote Trays in Our Mobile Science Cabinet.



Trays Feature Built-In Name Card Slots



Trays Feature a Built-in Handle and Smooth Edges



SHIPS WITH **24 TOTE TRAYS**
Made of Heavy-Duty Translucent Polypropylene Material



Removeable Storage Trays Nest when Not in Use

Standard Chem-Res Model#
MSC04
Phenolic Model#
MSC04P

Dimensions

Overall	28"W x 48"L x 36.25"H
Trays	12.5"W x 17"L x 3"H

See Page 112 for Shared Features

BUILT-IN MAGNETIC GANGING

4 SWIVEL CASTERS 2 LOCKING

7 DAY QUICK SHIP

Mobile Science Cabinet
with Microscope Dividers

See More, Store More – Dual-Sided Microscope Storage.



HOLDS UP TO **24 MICROSCOPES**



Adjustable Height Removable Shelf on Each Side



Removable Microscope Dividers to Maximize Storage Options

Doors Open on Both Sides of Cart with Five-Knuckle Wrap-Around Hinges

Standard Chem-Res Model#
MSC05
Phenolic Model#
MSC05P


Dimensions

Overall	28"W x 48"L x 41.5"H


DEMO CABINETS

Showcase Science Like Never Before: Empower Your Experiments with Our Advanced Demonstration Cabinet!


7 DAY QUICK SHIP



*Adjust the **Height and Tilt** according to your needs*



*Dual purpose: **Whiteboard & Mirror** framed in solid wood*



Stainless Steel Sink** with a **Hand Pump Faucet



*10-Outlet + 4 USB Input Surge Protected **Power Strip**, 15ft Cord, and Built-in Hook*



***Two Jugs included with Sink Option.** Fill one with water and use the other for disposal*

Dimensions

Overall	28”W x 48”L x 69.93”-79.15”H
Cabinet	28”W x 48”L x 36.25”H
Whiteboard/ Mirror	.75”W x 27.72”L x 20.63”H
Sink	11”W x 12.5”L x 6”H

Demo Cabinet
with Open Storage Area

Models

Sink & Whiteboard/Mirror	**MSC01*WS**
Only Whiteboard/Mirror	MSC01*W
Only Sink	MSC01*S

**Chem-Res Standard Tabletop. Add "P" here for phenolic tabletop.*

7 DAY QUICK SHIP



Open Storage Area
When Sink Is In Use



See Page 112 & 116 for Shared Features

BUILT-IN MAGNETIC GANGING | BUILT-IN POWERSTRIP | 4 SWIVEL CASTERS 2 LOCKING

Demo Cabinet
with Inner Drawers



Four Concealed Drawers

Models

Sink & Whiteboard/Mirror	**MSC02*WS**
Only Whiteboard/Mirror	MSC02*W
Only Sink	MSC02*S

**Add "P" here for phenolic tabletop*

7 DAY QUICK SHIP



Open Storage Area
When Sink Is In Use

Demo Cabinet

with External Drawers and Pegboard





Three External Drawers
and a Pull-out Shelf on Slides

Models

Sink & Whiteboard/Mirror	**MSC03*WS**
Only Whiteboard/Mirror	MSC03*W
Only Sink	MSC03*S

**Add "P" here for phenolic tabletop*

7 DAY QUICK SHIP



Pullout Pegboard
With 50 Assorted Pegs

See Page 112 & 116 for Shared Features

BUILT-IN MAGNETIC GANGING · BUILT-IN POWERSTRIP · 4 SWIVEL CASTERS 2 LOCKING

Demo Cabinet

with Inner Drawers and Pegboard

Models

Sink & Whiteboard/Mirror	**MSC06*WS**
Only Whiteboard/Mirror	MSC06*W
Only Sink	MSC06*S

**Add "P" here for phenolic tabletop*

7 DAY QUICK SHIP



Pullout Pegboard
With 50 Assorted Pegs



Four Concealed Drawers

Specs








	MSC01	MSC02	MSC03	MSC04	MSC05	MSC06
Uniques Features	-Two adjustable height shelves	-Adjustable height shelf -Four concealed drawers	-Adjustable height shelf -Three external drawers -External Pullout shelf on sliders -Pullout Pegboard with 50 assorted Pegs	-24 Removable storage Tote Trays made of heavy-duty translucent polypropylene material.	-Dual side storage -Adjustable height shelf on each side -20 Removable microscope dividers	-Four concealed drawers -Pullout Pegboard with 50 assorted Pegs
Dimensions	Overall 28"W x 48"L x 36.25"H	Overall 28"W x 48"L x 36.25"H	Overall 28"W x 48"L x 36.25"H	Overall 28"W x 48"L x 36.25"H Trays 12.5"W x 17"L x 3"H	Overall 28"W x 48"L x 41.5"H	Overall 28"W x 48"L x 36.25"H
Doors	Two doors with Five-knuckle wrap-around hinges	Two doors with Five-knuckle wrap-around hinges	Two doors with Five-knuckle wrap-around hinges	Two doors with Five-knuckle wrap-around hinges	Four doors with Five-knuckle wrap-around hinges	Two doors with Five-knuckle wrap-around hinges
Lock System	Door	Door	Door and drawers	Door	Door (both sides)	Door
Weight	160 Lbs	155 Lbs	170 Lbs	165 Lbs	150 Lbs	155 Lbs
Tabletop	Chem-res I Particleboard Core I Black Pvc Edge Banding I 1" Thick *or* Solid Phenolic I Designer Beveled Edges I .75" Thick					
Color	Oak Veneer					
Powerstrip	10-Outlet + 4 USB Input Surge Protected Power Strip, 15ft Cord, and Built-in Hook	10-Outlet + 4 USB Input Surge Protected Power Strip, 15ft Cord, and Built-in Hook	10-Outlet + 4 USB Input Surge Protected Power Strip, 15ft Cord, and Built-in Hook	-	-	10-Outlet + 4 USB Input Surge Protected Power Strip, 15ft Cord, and Built-in Hook
Ganging	Built-in Magnetic Ganging	Built-in Magnetic Ganging	Built-in Magnetic Ganging	Built-in Magnetic Ganging	Built-in Magnetic Ganging *(will only gang to other microscope carts)*	Built-in Magnetic Ganging
Casters	4 Swivel Casters, 2 Locking					
Sink	Optional Stainless Steel Sink with a Hand Pump Faucet, Two jugs included	Optional Stainless Steel Sink with a Hand Pump Faucet, Two jugs included	Optional Stainless Steel Sink with a Hand Pump Faucet, Two jugs included	-	-	Optional Stainless Steel Sink with a Hand Pump Faucet, Two jugs included
Whiteboard/ Mirror	Optional Dual purpose: Whiteboard & Mirror framed in solid wood	Optional Dual purpose: Whiteboard & Mirror framed in solid wood	Optional Dual purpose: Whiteboard & Mirror framed in solid wood	-	-	Optional Dual purpose: Whiteboard & Mirror framed in solid wood

Looking for a Basic Storage Cart?

See our Model MSC2436

Ships Unassembled

1-2 DAY LIGHTNING SHIP

Dimensions

Overall	24"W x 36"L x 36"H
Product Weight	103 lbs



Features



One Adjustable Height Shelf



1¼" Thick High Pressure Laminated Surface, Compliant With NEMA Standard Testing

SCIENCE WORKSTATION



Empower Your Team's Potential with the NPS Hexagon Workstation

Science Workstation

Drawers
CODE: D



6 Plywood Core Drawers with an Ergonomically Carved Handle Design.
Drawers Lock To Keep Contents Safe

-OR-

Book Boxes
CODE: B



6 Book Boxes for Open Storage with Easy Accessibility.
Inner Dimensions
15.75" W x 11" D x 4.5"H



Doors Lock To Keep Contents Safe

One Adjustable Height Shelf

Optionally Installed Rubber Toe Kick to Protect Against Spills or Damages

Doors Feature Five-knuckle Wrap-Around Hinges


Add-Ons





2 Gas+Cold Water Fixtures

+



Black Epoxy Resin Sink

with Drain, Sink Outlet and Stopper

(Available with Phenolic or Epoxy Tabletop)

Internal Power Hub

10-Outlet + 4 USB Input Surge Protected Power Strip with a 15ft Cord



3 UL Approved Powers Hubs

Each Power Hub is Rated at 125v, 60Hz, 15A, and Offers the Following Features:

- Two Tamper-Resistant AC Outlets
- One USB Type-A charging port delivering 5V at 2.1A (10.5W)
- One USB Type-C charging port providing 5V at 2.4A (12W)
- Built-in 10-foot power cord (14 AWG x 3C) that is routed to the power strip inside the cabinet.

Tabletops



Chem-Res
1" Particleboard Core Chemical Resistant Top Edge Banding
(C)




Phenolic
.75" Solid Phenolic Designer Beveled Edges
(P)



Epoxy
1" Solid Epoxy Designer Beveled Edges
(E)

Add-Ons Description

S	Standard
P	Built-In Power Hubs
ESFG	Epoxy Sink & Gas-Water Fixtures



7 DAY QUICK SHIP OPTIONS AVAILABLE

MAS CERTIFIED GREEN

ten year warranty 10

Base Design



Cabinet
(C)

Apron Style Options



Drawers
(D)



Book Boxes
(B)

Model Number Configuration

Prefix | Tabletop | Power Add-on

WSH P-C D P ESGF

Apron Style | Epoxy Sink & Gas-Water Fixtures Add-on

Solid Wood Tables



Tabletops



High Pressure Laminate
1.2" Particleboard Core
Black HPL Surface | T-molding
(H)



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
PVC Edge Banding
(W)



Epoxy
1" Solid Epoxy Resin
Designer Beveled Edges
(E)



Trespa
.75" Cellulose Core
Designer Beveled Edges
(T)



Solid Wood Science Tables



Features



Rubber Boots Protect Against Spills



Legs Attach W/ Metal on Metal Double Bolt Assembly on 13-Gauge Steel Corner Braces



2¼" Thick Solid Ash Square Legs



Adjustable Glides for Accurate Floor Leveling



Available With Book Compartments



Optional Heavy Duty 3" Thermoplastic Rubber Casters with a side lock and Stretchers and Braces

Model Number Configuration

Model Number — Size — Add-Ons

SLT1 - 2448 H BC

Top Material

Model#	Description
SLT1	30" High*, Science Lab Table, Wood Frame
SLT2	36" High*, Science Lab Table, Wood Frame

**Additional 3.5" Height when ordered with Casters*

All tables wider than 30", longer than 72", or with Epoxy/Trespa tabletops will include stretchers and braces

Size (width/Length in inches)				
2430	2448	2454	2460	2472
3030	3060	3072	4260	4272

- Lightning ship tables available, choose from tops H, C and P
- Lightning ship tables available, choose from tops H, C, P, and W
- Lightning ship tables available with top C only

Standard lead time is 8 weeks.
Lightning ship lead time is 2 days.

Top	Description
W	Whiteboard
H	Black High-Pressure Laminate
C	Chem-Res
P	Phenolic
E	Epoxy
T	Trespa

Using Epoxy tables in mobile applications with casters voids the warranty.

Add-on	Description
B	Add Book Boxes
C	Add Casters* & Stretchers

**Additional 3.5" Height with Casters*

1-2 DAY LIGHTNING SHIP

WEIGHT CAPACITY 500 lbs

MAS CERTIFIED GREEN for a healthier indoor environment

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

Steel Science Tables

Tabletops



High Pressure Laminate
1.2" Particleboard Core
Black HPL Surface | T-molding
(H)



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Epoxy
1" Solid Epoxy Resin
Designer Beveled Edges
(E)



Trespa
.75" Cellulose Core
Designer Beveled Edges
(T)



Features



Corner Brackets
Bolted Onto Frame



Welded 12-Gauge
Leg Top Plate



11-Gauge Welded
Support Brackets



Leveling Glides Can Add
up to 3/4" Height to Table



Dual-Side Leg
Connection



Adjustable Legs
Adjust in 1"
Increments



16-Gauge
Channel Frame



Optional Heavy-Duty
3" Thermoplastic Rubber
Casters with a side lock and
Gussets Available

EXCLUSIVELY PATENTED BY NPS
PERSONAL LAB TABLE WITH STEEL FRAME
PATENTED
INNOVATIVE ENGINEERING AND DESIGN

Color Options

Black

Soft Grey

Model Number Configuration

Model Number | Size | Top Material

SLT3 - 2448 H

Caster/Gusset Model

Model Number | Frame Number

CAST-3 *(of table that it will be used with - i.e. #SLT3)*

Model#	Description
SLT3	Height adjustable steel table, black
SLT7	Fixed Height steel table, black
SLT8	Height adjustable steel table, soft grey
SLT9	Fixed Height steel table, soft grey

Size (Width/Length in inches)

2430	2448	2454	2460	2472
3030	3060	3072	4260	4272

Lightning ship tables available, choose from tops H, C and P

Lightning ship tables available with top C only

Standard lead time is 8 weeks.
Quick ship lead time is 7 days.

Top	Description
H	Black High-Pressure Laminate
C	Chem-Res
P	Phenolic
E	Epoxy
T	Trespa

Using Epoxy tables in mobile applications with casters voids the warranty.

WEIGHT CAPACITY 500 lbs — Without Casters

WEIGHT CAPACITY 300 lbs — With Casters

7 DAY QUICK SHIP

BIFMA INTERNATIONAL
ANSI
products meet or exceed applicable ANSI/BIFMA standards

MAS CERTIFIED GREEN

ten year warranty 10

ADA — Compliant with Adjustable Legs

TAA OPTIONS AVAILABLE

Additional 3.5" Height when ordered with Casters
All tables wider than 30", longer than 72", or with Epoxy/Trespa tabletops will include a set of gussets

Steel Designer Science Tables

NEW

NOW IN STOCK!

Tabletops



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)



Phenolic
.75" Solid Phenolic
Designer Beveled Edges
(P)



Epoxy
1" Solid Epoxy Resin
Designer Beveled Edges
(E)



Trespa
.75" Cellulose Core
Designer Beveled Edges
(T)





Innovative Designer Apron

For more specs see **Page 89**

Size (Width/Length in inches)

1824	1830	1836	1842	1848	1854	1860	1872	1884	1896
2424	2430	2436	2442	2448	2454	2460	2472	2484	2496
3030	3036	3042	3048	3054	3060	3072	3084	3096	
3636	3642	3648	3654	3660	3672	3684	3696		
4242	4248	4254	4260	4272	4284	4296			
4848	4854	4860	4872	4884	4896				

Quick ship tables available, choose from tops P and C

Quick ship tables available with top C only

Standard lead time is 8 weeks. Quick ship lead time is 7 days.

Model#	Description
SLTD3	Height adjustable steel table, black
SLTD7	Fixed Height steel table, black
SLTD8	Height adjustable steel table, soft grey
SLTD9	Fixed Height steel table, soft grey

Model Number Configuration

Model Number | Size | Top Material

SLTD3 - 2448 C

TAA OPTIONS AVAILABLE

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

ADA

MAS CERTIFIED GREEN for a healthier indoor environment

ten year warranty 10

BIFMA INTERNATIONAL ANSI

products meet or exceed applicable ANSI/BIFMA standards

Steel Activity Science Tables

NOW IN STOCK!

NEW



Tabletops



Chem-Res
1" Particleboard Core
Chemical Resistant Top
Edge Banding
(C)

Shapes



Trapezoid (TZ)



Tri (TR)



Square (SQ)



Semicircle (SC)



Hexa (HX)



Round (RD)

Trapezoid Sizes (TZ)
(Width/Length in Inches)

2448	2454	2460	2472
	3054	3060	3072

Tri Sizes (TR)
(Width/Length in Inches)

2454	2460
3054	3060

Square Sizes (SQ)
(Width in Inches)

24	30	36	42	48

Semicircle Sizes (SC)
(Diameter of Full Circle in Inches)

48	60

Hexa Sizes (HX)
(Width/Length in Inches)

2454	2460	2472
	3060	3072

Round Sizes (RD)
(Diameter in Inches)

36	42	48	60

For more specs see **Page 93**

Model#	Description
SLTA3	Height adjustable steel table, black
SLTA7	Fixed Height steel table, black
SLTA8	Height adjustable steel table, soft grey
SLTA9	Fixed Height steel table, soft grey

Model Number Configuration

Model Number | Size | Top Material

SLTA7 -TZ 2448 C

Shape

NEW

AVAILABLE APRIL 2025


Aero-Lift Tables

WOOD FRAME TABLE



For product details see **Page 102**

ACTIVITY TABLE




6 Shapes to choose from



For product details see **Page 105**

Effortless Elevation, Endless Possibilities: Experience the Aero-lift Table's Precision and Versatility at Every Height.

STEEL FRAME TABLE



For product details see **Page 103**

STEEL DESIGNER FRAME TABLE



For product details see **Page 104**

SIGNATURE TABLE



For product details see **Page 106**

WORKSTATIONS



Sit Stand Desks
EDTC



Workstations
Teacher's EduPod
Teacher's WorkPod

Sit Stand Students Desk







1-2 DAY LIGHTNING SHIP

Features



Strong Powder-Coated Steel Frame



2½" Two-Tone Double-Wheel Hooded Casters




Pneumatic Adjusting System

Model Number
└ **EDTC**

Color



Speckled Grey Surface Black Steel Frame



TAA

WEIGHT CAPACITY 250 lbs

ten year warranty 10

Description	Dimensions
Top Shelf Dimensions	26"L x 20.75"D
Height Adjustable	27.75" - 44.5"
Leg Dimensions	21.75"L x 19.5"D
Unit Weight	35 lbs.


Edupod Teacher's Desk & Lectern






1-2 DAY LIGHTNING SHIP

Colors



Speckled Grey Tabletop
Grey Hammer Tone
Cabinet and Frame

Model Number
└ **EDPD**



ten year warranty 10


Features



Beautiful Blow-Molded Table Top



3 Shelves, 2 Adjustable for Customizability



Built-in Perforated Modesty Panel



Locking Storage Cabinet for Security



Wire Management Grommet for Technology Equipment



6 Hooded Twin-Wheel, Two-Inch Casters, 3 Lock for Stability

Description	Dimensions
Overall Dimensions	68"L x 24"W
Desk Dimensions	48"L x 24"W
Desk Thickness	2-inch
Cabinet Dimensions (including casters)	24"L x 20"W x 35"H
Lectern Desk	24"L x 20"W
Lectern Thickness	3/4-inch
Cabinet Shelves Dimensions	19"L x 22"W
Unit Weight	115 lbs.

Teacher's Workpod Series







Colors



Charcoal Slate and Black


Features



Double Frame for Added Support



Desk Can Be Hooked on to Either Side of the Lectern



Unhook the Desk from the Lectern to Use Separatly



Built-in Attractive Mesh Front Provides Venting to Prevent Overheating




Contemporary Frame and Legs



Adjustable Height Surface with Metal Bookstop

Model#	Description
TWPD	Teacher's WorkPod Desk
TWPL	Teacher's WorkPod Lectern
TWP	Teacher's WorkPod Desk & Lectern Kit



Description	Dimensions
Overall Dimensions	68"L x 24"W
Desk Dimensions	48"L x 24"W
Desk Thickness	2-inch
Cabinet Dimensions (including casters)	24"L x 20"W x 35"H
Lectern Desk	24"L x 20"W
Lectern Thickness	3/4-inch
Cabinet Shelves Dimensions	19"L x 22"W
Unit Weight	115 lbs.
Lectern Portion Weight	85 lbs.

ten year warranty 10

1-2 DAY LIGHTNING SHIP

MOBILE TABLES

Mobile Table
MT, MTFB,
MTS, MTSB



Easy Fold
MTSSF



Convertible Bench
CBG



Booth Seating
TG, CSB



Our tables come in

Rectangle



Square



Hexagon



Octagon



all shapes and sizes

Round



Oval



Elliptical



>>>>>>


SEE NEXT PAGE FOR

DESIGNER SHAPES

>>>>>>

Designer

Swerve Table



EXCLUSIVELY PATENTED BY NPS

MT SWERVE TABLE SHAPE
PATENTED
INNOVATIVE ENGINEERING AND DESIGN









Shapes

EXCLUSIVELY PATENTED BY NPS
MT BEDROCK TABLE SHAPE
PATENTED
INNOVATIVE ENGINEERING AND DESIGN

Bedrock Table











Table & Bench Core Options


3/4" MDF
(MD)


3/4" Particleboard
(PB)


3/4" Plywood
(PW)

Frame Color Options


Chrome
(CR)


Black Powder Coating
(PC)

Table/Seat Heights*

25"/13"
code: 25

27"/15"
code: 27

29"/17"
standard‡

32"/20"
code: 32

*For non-standard heights add code to end of model number
‡Standard MTS1216 is 27"/15"


Mobile Table Features Stool, Bench, Shape, and Combo Units



Casters Lift off Floor to Prevent Table from Moving When Opened


Tamper-Free, Non-Marring, Nylon Steel-Insert Glides and Tube Closures


Protect Edge Option Prevents Food from Being Trapped Between the Laminate and Edge


Self-Leveling Automatic Down Lock Ensures Engagement Every Time Table Is Fully Opened


Locks Table Partially Open for Easy Floor Cleaning


No Need to Reach in! Storage Latch Release Handles on Both Sides of Table to Unlock. Locks Automatically When Folded


4" Double Ball Bearing Non-Marring Heavy-Duty Casters With 275 Lb. Weight Capacity Ea


"EasyLift" Torsion Bar System. One Person Can Easily Lift and Fold Table for Convenient Storage


14-Gauge Steel Framing

Bench Features


Prevent Tripping During Entry With Our Exclusive Curved Frame Design


3/4" Thick Benches Reinforced With 16-Gauge Aprons

Stool Features


Round and ErgoMax Stool Shapes Available


High Impact Stools Reinforced With Embedded Steel Washers


Hex-Head Serrated Flange Bolts & Serrated Flange Nylon Insert Nuts Provides Stronger and Simpler Assembly

PAGE 233 | Laminate, Edge, and Stool Options

Easy Fold Features


One-Piece Top Eliminates the Gap in the Middle of Surface


4" Double Ball Bearing Non-Marring Heavy-Duty Casters With 275 Lb. Weight Capacity Ea



Casters Lift off Floor to Prevent Table from Moving When Opened


Gas Spring Rated to 100,000 Cycles Balances Open-Fold Operation – Simple for One Person Operation



Automatically Locks Open With Two Points of Manual Release to Fold

Convertible Bench Features


Create One Large Table By Combining Single Bench Units, Using the Built-in Ganging Devices


Non-Marring Reinforced Nylon Glides With Steel Inserts Installed Over Leg Uprights.


"Pinch-Proof" Feature: Bench Does Not Touch the Top When Folding


Under Table Hat Supports 1000 Lbs. Weight Capacity
(CBG96 Only)


Easy Lock 3" Double Ball-Bearing Heavy-Duty Casters





TAA

CERTIFIED GREEN

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

fifteen year warranty 15

ADA

For Advanced Technical Specs See Overall Advantages & Benefits on Page 154



Shape Tables


Mobile tables that shape up to your unique seating needs.





EXCLUSIVELY PATENTED BY NPS

MOBILE TABLE FRAME
PATENTED
INNOVATIVE ENGINEERING AND DESIGN



See **Page 140** for Product Features



Shapes



Rectangular (MT) | Swerve (MST) | Bedrock (MBT) | Elliptical (MTE) | Oval (MTV) | Square (MTQ) | Hexagon (MTH) | Round (MTR) | Octagon (MTO)

7 DAY QUICK SHIP

MT12-MDPEPCGY
(12' Rectangle, MDF/ProtectEdge, Textured Black Frame, Grey Nebula Top)
MT60R-MDPEPCGY
(60" Round, MDF/ProtectEdge, Textured Black Frame, Grey Nebula Top)

Model #	Shape	Table WxL	Folded Dimensions	Table Height (Standard)	Table Height (Custom)
MT8	Rectangular	30"x97"	30"x30"x60"	29"	
MT10	Rectangular	30"x121"	31"x30"x68"	29"	
MT12	Rectangular	30"x145"	32"x30"x81¼"	29"	
MST8	Swerve	30"x97"	30"x30"x60"	29"	25"
MST10	Swerve	30"x121"	31"x30"x68"	29"	27"
MST12	Swerve	30"x145"	32"x30"x81¼"	29"	32"
MBT8	Bedrock	30"x97"	30"x30"x60"	29"	
MBT10	Bedrock	30"x121"	31"x30"x68"	29"	
MBT12	Bedrock	30"x145"	32"x30"x81¼"	29"	
MTE10	Elliptical	44⅜"x121⅜"	31¼"x 44⅝"x 67¾"	29"	
MT72V	Oval	60"x72"	19"x60"x45¼"	29"	
MT48Q	Square	48"x48"	19"x48"x39¾"	29	
MT60Q	Square	60"x60"	19"x60"x42¾"	29"	25"
MT48H	Hexagon	48"x48"	19"x48"x39¾"	29"	27"
MT48R	Round	48"x48"	19"x48"x39¾"	29"	32"
MT60R	Round	60"x60"	19"x60"x42¾"	29	42"
MT72R	Round	72"x72"	19"x72"x45¼"	29"	
MT60O	Octagon	60"x60"	19"x62½"x42¾"	29"	


Model Number Configuration

Model # | Core | Edge | Frame | Laminate Color Top

MTE10-MD PE CR CH

Add custom height to the end of model number

ADA Configurations



conditional based on wheelchair width

TAA | UL CERTIFIED | DESIGNED, ENGINEERED & ASSEMBLED IN THE U.S.A. WITH GLOBAL MATERIALS

PAGE 233 *Laminate and Edge Options*



Bench Tables

Better together! Bench tables make group seating simple.





EXCLUSIVELY PATENTED BY NPS

MOBILE TABLE FRAME **PATENTED** *INNOVATIVE ENGINEERING AND DESIGN*



See **Page 140** for Product Features



7 DAY QUICK SHIP

MTFB12-MDPEPCGYGY
(12' Rectangle, MDF/ProtectEdge, Textured Black Frame, Grey Nebula Top & Bench)
MTR60B-MDPEPCGYGY
(60" Round, MDF/ProtectEdge, Textured Black Frame, Grey Nebula Top & Bench)

Shapes



Model #	Shape	Seats	Table WxL	Folded Dimensions	Table Height (Standard)	Table Height (Custom)
MTFB8	Rectangular	8-12	30"x97"	56"x34½"x59¾"	29"-17"	25"-13" 27"-15" 32"-20"
MTFB10	Rectangular	10-14	30"x121"	56"x35"x68½"	29"-17"	
MTFB12	Rectangular	12-16	30"x145"	56"x35½"x81"	29"-17"	
MSTB8	Swerve	8-12	30"x97"	56"x34½"x59¾"	29"-17"	
MSTB10	Swerve	10-14	30"x121"	56"x35"x68½"	29"-17"	
MSTB12	Swerve	12-16	30"x145"	56"x35½"x81"	29"-17"	
MBTB8	Bedrock	8-10	30"x97"	56"x34½"x59¾"	29"-17"	
MBTB10	Bedrock	10-12	30"x121"	56"x35"x68½"	29-17"	
MBTB12	Bedrock	12-16	30"x145"	56"x35½"x81"	29"-17"	
METB	Elliptical	10-12	45"x121"	72"x35½"x73½"	29"-17"	
MTR60B	Round	8	60"x60"	34"x86"x54½"	29"-17"	25"-15" 27"-15" 32"-20"
MTO60B	Octagon	8	60"x60"	34"x86"x54½"	29"-17"	

Model Number Configuration


Model # | Core | Edge | Frame | Tabletop Laminate

MTFB12-MD PE CR CH GY

Add custom height and/or ADA code to the end of model number

Bench Laminate

ADA Configurations



conditional based on wheelchair width

TAA

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

UL CERTIFIED

PAGE 233 *Laminate and Edge Options*



Stool Tables

Roll in, roll out, flip, and store. Pairs well with any seating!



TWO STOOL SHAPES AVAILABLE



Round Stool | ErgoMax Stool



EXCLUSIVELY PATENTED BY NPS

MOBILE TABLE FRAME
PATENTED
INNOVATIVE ENGINEERING AND DESIGN

EXCLUSIVELY PATENTED BY NPS

ERGOMAX STOOL
PATENTED
INNOVATIVE ENGINEERING AND DESIGN



See **Page 140** for Product Features

Shapes



7 DAY QUICK SHIP

MTS1216-MDPEPCGYxx (12' Rectangle, MDF/ProtectEdge, Textured Black Frame, Grey Nebula Top)
MTS12-MDPEPCGYxx (12' Rectangle, MDF/ProtectEdge, Textured Black Frame, Grey Nebula Top)
MTR60S-MDPEPCGYxx (60" Round, MDF/ProtectEdge, Textured Black Frame, Grey Nebula Top)

Model #	Shape	Seats	Table WxL	Folded Dimensions	Table Height (Standard)	Table Height (Custom)
MTS8	Rectangular	8	30"x97"	30"x59"x57"	29"-17"	25"-13" 27"-15"
MTS10	Rectangular	12	30"x121"	59"x36"x73½"	29"-17"	
MTS12	Rectangular	12	30"x145"	59"x39"x79¾"	29"-17"	
MTS1316*	Rectangular	16	30" x 156¾"	41" x 59.12" x 91"	29"-17"	
MSTS8	Swerve	8	30"x97"	56"x34½"x59¾"	29"-17"	25"-13" 27"-15"
MSTS10	Swerve	12	30"x121"	56"x35"x68½"	29"-17"	
MSTS12	Swerve	12	30"x145"	56"x35½"x81"	29"-17"	
MBTS8	Bedrock	8	30"x97"	32"x59"x57"	29"-17"	25"-13" 27"-15"
MBTS10	Bedrock	12	30"x121"	59"x36"x73½"	29"-17"	
MBTS12	Bedrock	12	30"x145"	59"x39"x79¾"	29"-17"	
MTR60S	Round	8	60"x60"	38"x81"x54½"	29"-17"	25"-15" 27"-15" 32"-20"
MTO60S	Octagon	8	60"x60"	38"x81"x54½"	29"-17"	
METS	Elliptical	12	45"x121"	59"x35"x81⅜"	29"-17"	25"-13" 27"-15"

**Custom SKU: Extra-tall 91" folded height, high doorway and special shipping requirements. Non-refundable/cancellable after order.*

12-Foot Tables are available with 16 seats.
Featuring Table Height of 27" and Seat Height 15" (Standard)

MTS1216	Rectangular	16	30"x145"	59"x35"x81⅜"	27"-15"	25"-13"
MSTS1216	Swerve	16	30"x145"	59"x35"x81⅜"	27"-15"	25"-13"
MBTS1216	Bedrock	16	30"x145"	59"x35"x81⅜"	27"-15"	25"-13"

Model Number Configuration


Model # | Core | Edge | Frame | Laminate | ErgoMax Stool

MTS12-MD PE CR CH 04 E

Add custom height and/or ADA code to the end of model number

Stool Color

ADA Configurations



conditional based on wheelchair width

TAA

UL CERTIFIED

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

PAGE 233 *Laminate and Edge Options*



ComboTables

The best of both worlds - bench or stool, sit together how you'd like!





TWO STOOL SHAPES AVAILABLE

Round Stool

ErgoMax Stool

EXCLUSIVELY PATENTED BY NPS — MOBILE TABLE FRAME **PATENTED** INNOVATIVE ENGINEERING AND DESIGN

EXCLUSIVELY PATENTED BY NPS — ERGOMAX STOOL **PATENTED** INNOVATIVE ENGINEERING AND DESIGN



See **Page 140** for Product Features



TAA

UL CERTIFIED

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

Shapes



Elliptical (MET)



Round (MTR)



Octagon (MTO)

PAGE 233
Laminate, Edge, and Stool Options

Model Number Configuration

Model # | Core | Edge | Bench Laminate | Stool Color

MTR60SB-MD PE CR XX XX XX E

Frame | Tabletop Laminate | ErgoMax Stool

Add custom height and/or ADA code to the end of model number

Model #	Shape	Seats	Table WxL	Folded Dimensions	Table Height (Standard)	Table Height (Custom)
METSB	Elliptical	12	45"x121"	59"x35"x81⅝"	29"-17"	25"-13" 27"-15" 32"-20"
MTR60SB	Round	8	60"x60"	38"x81"x54½"	29"-17"	25"-15" 27"-15" 32"-20"
MTO60SB	Octagon	8	60"x60"	38"x81"x54½"	29"-17"	

ADA Configurations



ADA-1 ADA-2 ADA-1 ADA-2

conditional based on wheelchair width



See **Page 140** for Product Features



Shapes

Oval (V)	Square (Q)	Round (R)	Octagon (O)	Hexagon (H)

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

TAA

PAGE 233 *Laminate, Edge, and Stool Options*

Model #	Shape	Table WxL	Folded Dimensions	Table Height (Standard)	Table Height (Custom)
MTSSF-60V	Oval	60"x72"	72"x20"x72"	29"	25" 27" 32" 42"
MTSSF--48Q	Square	48"x48"	48"x20"x62"	29"	
MTSSF-60Q	Square	60"x60"	60"x20"x72"	29"	
MTSSF-48R	Round	48"x48"	48"x20"x62"	29"	
MTSSF-60R	Round	60"x60"	60"x20"x72"	29"	
MTSSF-60O	Octagon	60"x60"	60"x20"x72"	29"	
MTSSF-48H	Hexagon	48"x48"	48"x20"x65"	29"	

7 DAY QUICK SHIP

MTSSF-60R-MDPEPCGY
(Round 60"x60", MDF Core, Black Protect Edge, Grey Nebula Top)

Model Number Configuration

Model # | Core | Edge | Frame | Laminate Color Top

MTSSF-48Q-MD PE CR CH

Add custom height to the end of model number



Convertible Bench Units

Adaptable for your cafeteria, auditorium and testing center!








Open



Flip



Gang



See **Page 140** for Product Features



PAGE 223 *Laminate, Edge, and Stool Options*

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

TAA

7 DAY QUICK SHIP

CBG96-MDPEPCGYGY
(96"L , MDF Core, Black Protect Edge, Grey Nebula Back and Bench)

UL CERTIFIED

Model #	Seats	Table WxL	Folded Dimensions	Table Height (Standard)	Table Height (Custom)
CBG72	3-4	29"x72"	72"x12"x34"	29"-17"	25"-13"
CBG84	4-5	29"x84"	84"x12"x34"	29"-17"	27"-15"
CBG96	4-6	29"x96"	5696"x12"x34"	29"-17"	32"-20"

Model Number Configuration


Model # | Core | Edge | Frame | Back Laminate

CBG96-MD PE PC CH GY

Bench Laminate

ADVANTAGES & BENEFITS for NPS Mobile Tables pages 136-153

Frame Design | Table Top | Seat



Sophistication made Simple with Safety in mind.

NPS Mobile Tables are sophisticated in design yet simple to operate.
Offering enhanced safety features giving you complete peace of mind.

Frame Design

Intelligent steel understructure design supports table tops and seating providing ease of operation and maintenance.

Table Top Apron Support

- Each top is supported by 2" deep, 14-gauge steel aprons capped at the ends with riveted plastic protectors.
- Aprons and brackets are fastened to wood with custom designed tamper-resistant screws with superior holding power while still easily serviceable if the need arises.
- Tops are supported between the leg top tubes and wood with spacers.

Leg Assembly



- Structural leg components are comprised of 1¼" diameter, 14-gauge steel tubing.
- Legs and stool columns are constructed of 1¼" diameter, 14-gauge steel tubing and braced horizontally to the stool support column on the opposite side of the table to resist bending.

Lock Rod



- Heavy duty 7/16" diameter lock rod is chrome plated to resist wear.
- Tamper resistant lock nuts on all down lock assemblies with a self-adjusting hinge lock ensure that the down lock engages every time.

Storage Lock

- Heavy duty storage lock is comprised of a 1¼" square tube with heavy-duty catch. Locks automatically in storage position and easily release from either side of the table when opening.

Table Top & Seats

Core



- Available in MDF, Particleboard, or Plywood.
- Tops and benches are surfaced with high pressure laminate bonded to a 3/4" thick AC grade core, sealed underneath with a poly backer for T-molded tabletops and a phenolic backer sheet for tabletops with Protect Edge. This is especially helpful when cleaning the underside of the table.

Edge (for table tops and benches)



- Available with Protect Edge or Vinyl T-Molding.
- Protect Edge is sealed with a polyurethane epoxy resin, chemically bound to the edge of the laminate, core and phenolic backing sheet.
- Vinyl T-molding is secured by staples to the top's underside approximately every 10".

Seat

Stools



- Stools are injection molded with a minimum of 25 oz. of UV additive, rubber-modified, high impact polystyrene materials measuring 13” in diameter.
- Ribs, which extend from the outer perimeter of the stool to the mounting hub in the center, are reinforced to resist failure with 12 integrally molded, tapered ribs.



- Wobble-free stools are mounted quickly without "wobble" with our custom designed serrated head nut and bolt. Nut also has nylon locking inserts to ensure stools stay tight.
- Power tools are recommended for safe and secure assembly.

ADVANTAGES & BENEFITS for NPS Mobile Tables pages 136-153

Frame Design | Table Top | Seat

Hardware

Table Top Screws



- Serrated head and thick threading provides superior holding power to frame with the ability to be serviced easily in the field.
- Tamper resistant.

Flower Glides and Tube Closures

- Made from glass-infused nylon and spring steel, will not break or fall out.

Casters



- 4" heavy-duty, double ball-bearing casters.
- Weight capacity of 275 lbs. per caster.
- Polyurethane, non-marring wheels.

Operation

Entrances (for bench units)

- Each bench is designed for easy entry on both ends.

Locking - Opening



- A gravity lock automatically locks the table in the open position. The lock is disengaged manually, capable of being operated from both sides of the table.

Locking - Folding



- The storage lock latch automatically locks the table in the folded storage position. The lock is disengaged manually, capable of being operated from both sides of the table and within easy reach.

Custom Torsion Bar System



- Easy opening and closing via a perfectly balanced torsion bar system.
- Each unit includes 1 to 5 torsion bars determined by table size and core material.
- Each torsion bar is at a specific angle based on weight distribution.

SafetĀ

Lift-Off Casters



- Mobile tables incorporate the beneficial caster lift-off design in which casters lift off the floor in the open position.
- Lift-off casters do not protrude past the seats so they are not a tripping hazard.

Midway Position Lock



- Secures the unit in a partially folded position for ease of movement during floor cleaning and to prevent finger or hand pinching.

Storage Lock Latch



- Vertical adjustment ensures that the table always locks safely into the folded position.
- **UL CERTIFIED:** Tested for 7,000 open/close cycles exceeding the UL testing standard of 6,000 cycles.
- **SAFETY POSITION:** Folds in teepee position to prevent tipping.



Booth Seating









ToGo Specs



BOOTH SEATING

The ToGo Benches Feature Fixed High Backs With a Slight 12-Degree Pitch Providing the Perfect Contour for Comfortable Seating.



MOBILE

Built With Industrial Grade Steel, and Double Ball-Bearing Non-Marring Casters, the ToGo Provides the Ultimate in Strength and Mobility.



COLLABORATIVE

Today's Cafeterias Have Become Multi-Purpose Spaces Which Require Furniture That Is Mobile and Multi-Functional. NPS's ToGo Booth System Is Ideal for Such An Environment.



SIMPLE STORAGE

The ToGo Bench and the ToGo Flipper Table Top Flip up and Nest for Optimal Storage. Both Are Offered in 48" or 60" Widths and 24"or 30" Depths Providing Comfortable Seating for All Sizes.



LATCH



HEAVY-DUTY CASTERS



GRIP-RITE GLIDE

EASE OF USE

It's Simple to Reconfigure for Multi-Purpose Use. With Heavy-Duty Casters the ToGo Booth is Easy to Move. Rubber Grip-Tight Glides on Benches Automatically Engage with the Floor When Opened Along with Locking Casters to Keep your Seating Arrangement Nicely in Place. Tables Open and Lock Automatically and are Easily Released with the Pull of a Handle.

19" High Back
15" Wide Seat

Compared to standard 15"x12" Convertible Bench

ADA

fifteen year warranty 15

MAS CERTIFIED GREEN for a healthier indoor environment

TAA

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

ToGo *Flipper* Table



PAGE 233 *Laminate and Edge Options*

Tabletop Options



1.2" MDF Core
HPL Surface
Protect Edge
(MDPE)



1.2" Particleboard Core
HPL Surface
T-Mold
(PBTM)



1.2" Particleboard Core
HPL Surface
3mm Hot-Melt PVC Edge
(PBEB)



Whiteboard
1.2" Particleboard Core
Markerboard HPL Surface
PVC Edge Banding
(W)


Model #	Seats	Open Footprint
MFT102448	2-3	24"W x 48"L x 29"H
MFT102460	3-4	24"W x 60"L x 29"H
MFT103048	2-3	30"W x 48"L x 29"H
MFT103060	3-4	30"W x 60"L x 29"H

Discover our full range of sizes on Page 77

ToGo Bench



Bench Core/Edge Options



.75" MDF core
HPL Surface | Protect Edge
(MDPE)



.75" Particleboard core
HPL Surface | T-molding
(PBTM)

Model Number Configuration

Model # | Core | Edge | Back Laminate

TGB60-MD PE RE BL

Bench Laminate

Model #	Seats	Open Footprint	Folded Footprint	Weight
TGB48	2-3	25"W x 48"L x 38"H	17.25"W x 48"L x 38"H	74 lbs.
TGB60	3-4	25"W x 60"L x 38"H	17.25"W x 60"L x 38"H	86 lbs.

7 DAY QUICK SHIP

TGB60MDPENLNL
(60", MDF Core, Black Protect Edge, Navy Legacy Back/Bench)

WEIGHT CAPACITY 500 lbs



Cluster Swivel Booth



Featuring
SUPER FLEX
SEATING



Features



Flex Back Tested by SGS Labs to Resist 425 Lbs of Force



Unique Design for Ultimate Seating Comfort



13-Gauge Heavy-Duty Steel Frame



18-1/2" Space from Tabletop to Seat Back



Seats Are Mounted on An Industrial Grade Swivel Base



T-Shaped Legs for Extreme Stability



Undertable 11-Gauge Framing System



Tamper Free Hardware

Colors

SEAT			FRAME
Black (10)	Navy (04)	Charcoal (20)	Soft Grey

Model Number Configuration

Prefix: CSBG2448 | Edge: PBTM | Laminate (HPL tops): xx | Seat Color: 10

Cluster Swivel Booth

PATENT PENDING BY NPS

CLUSTER SWIVEL BOOTH
PATENT PENDING
INNOVATIVE ENGINEERING AND DESIGN




Add-Ons



Optional Floor Mount Kit Secures Booth in a Fixed Position

Model# CSBG-FCS



WEIGHT CAPACITY 300 lbs

Rated for a 300 lbs weight capacity, these seats were tested by SGS to resist up to 425 lbs of force when flexing, showcasing its robust durability. The pedestal seat mount ensures reliable support and safety within the 300 lbs capacity.

7 DAY QUICK SHIP

CSBG2448-MDPEGYxx
(24"x48" Rectangular, MDF Core, Black ProtectEdge, Grey Nebula Top)

Tabletops


Tabletop Dimensions are 24" x 48"



1.2" particleboard core HPL Surface T-molding
(PBTM)



1.2" Particleboard HPL Surface PVC Edge Banding
(PB EB)



1.2" MDF core HPL Surface Protect Edge
(MDPE)



1.2" Particleboard Core Whiteboard HPL Surface PVC Edge Banding
(WB)



1.75" Solid Maple Wood Butcherblock Proprietary UV Finish
(BB)

See page 239 for warranty, finish options and care instructions.

PAGE 233
Laminate, Edge, and Stool Options

ten year warranty 10

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

TAA

MAS CERTIFIED GREEN

CAFÉ



Fixed Height Tables



THREE HEIGHTS AVAILABLE


Tabletops

1.2" Particleboard core
HPL Surface
T-molding
(PBTM)

1.2" Particleboard core
HPL Surface
PVC Edge Banding
(PBEB)

1.2" MDF core
HPL Surface
Protect Edge
(MDPE)

1.2" Particleboard core
Whiteboard Surface
PVC Edge Banding
(PBEBWB)



1.2" MDF core
Whiteboard Surface
Protect Edge
(MDPEWB)

Frame Colors



Black
(no Code)

Soft Grey
(G)

Base Style



T Base
(T)



X Base
(X)



Round Base
(R)

Model Number Configuration

Prefix | Shape | Size | Height | Tabletop

CTG 2 3042 T D PBTM xx

Color (if Grey) | Base Style | Laminate (HPL Tops)

Shapes



Round
(1)

Rectangle
(2)

Square
(3)

Racetrack
(4)

Curve
(5)

Rectangle & Racetrack Sizes *(width/Length in inches)*

2430	2436	2442	2448	2454	2460	2472	2484	2496
3036	3042	3048	3054	3060	3072	3084	3096	

Round & Square Sizes *(width/Length in inches)*

2424	3030	3636	4242	4848

Curved Sizes *(width/Length in inches)*

60°: 2491* 108°: 2492*

7 DAY QUICK SHIP OPTIONS AVAILABLE

WEIGHT CAPACITY 300 lbs

MAS CERTIFIED GREEN

ten year warranty 10

BIFMA INTERNATIONAL products meet or exceed applicable ANSI/BIFMA standards

ANSI

Quick ship tables available in 36" round and square, choose from Grey Nebula (GY) or Figured Mahogany (MY) laminates with Black T-mold (TM)

Recommended with T Base

Air-Lift Nesting Pneumatic Café Table





PATENT PENDING
BY NPS

AIR-LIFT NESTING PNEUMATIC CAFÉ TABLE
PATENT PENDING
INNOVATIVE ENGINEERING AND DESIGN

PAGE 233 Laminate and Edge Options


Tabletop Options



1.2" Particleboard core
HPL Surface
T-molding
(PBTM)



1.2" Particleboard core
HPL Surface
PVC Edge Banding
(PBEB)



1.2" MDF core
HPL Surface
Protect Edge
(MDPE)



1.2” Particleboard core
Whiteboard Surface
PVC Edge Banding
(PBEBWB)



1.2" MDF core
Whiteboard Surface
Protect Edge
(MDPEWB)

Shapes

Round
(1)

Square
(3)

Size (Square/Round in inches)

24	30	36	42

Quick ship tables available in this size, choose from PB with Grey Nebula (GY) or Figured Mahogany (MY) laminates with Black T-mold (TM)

Standard lead time is 8 weeks.
Quick ship lead time is 7 days.

Model Number Configuration

Model Number — Size — Tabletop

ACT 1 24 MDPE GY

Shape — Laminate (HPL tops)

7 DAY QUICK SHIP OPTIONS AVAILABLE

WEIGHT CAPACITY 300 lbs

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI products meet or exceed applicable ANSI/BIFMA standards

ten year warranty 10

ADA

TAA

Café Time





Roll In



Flip



Store



Color



Charcoal Slate
Silver Tone Frame

Table Features



Concealed Pneumatic Lever Makes for Effortless Raising and Lowering



Casters and Glides Included



Tabletop Sets Into Vertical Position For Compact Storage

Chair Features



Rubber Glides To Protect Floors




Stacks For Easy Storage



Scratch Resistant, Attractive Chair Seats & Backs

Model#	Description
CTT3042	Café Time Adjustable-Height Table
CTS30	Café Time Stool



1-2 DAY LIGHTNING SHIP

WEIGHT CAPACITY 300 lbs

GREENGUARD GOLD CERTIFIED GREEN

ten year warranty 10

BIFMA INTERNATIONAL ANSI products meet or exceed applicable ANSI/BIFMA standards

The Collaborator






7 DAY QUICK SHIP OPTIONS AVAILABLE

PAGE 233 Laminate and Edge Options

Tabletop Options



1.2" Particleboard core HPL Surface T-molding
(PBTM)



1.2" MDF core HPL Surface Protect Edge
(MDPE)



1.2" Particleboard core Whiteboard Surface PVC Edge Banding
(WB)



1.75" Solid Maple Wood Butcherblock Proprietary UV Finish
(BB)

See page 239 for warranty, finish options and care instructions.

Features



Optional Crossbeam Included* With a Dual Bolt Connection for Extra Stability



Indestructible Solid 8-Gauge Industrial Grade Legs

**Only included for bar height tables.*

Shape

Rectangle
(2)

Model Number Configuration

Prefix | Size | Shape | Laminate (HPL tops)

CLT 3060 D 2 PBTM xx

Height | Tabletop

TWO HEIGHTS AVAILABLE

Height	Description
D	30" Dining Height
B	42" Bar Height

Size (width/length in inches)

3060	3072	3660	3672

Quick ship tables available, choose from rectangle tops BB, and WB
Standard lead time is 8 weeks. Quick ship lead time is 7 days.

WEIGHT CAPACITY 500 lbs

ten year warranty 10

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL ANSI products meet or exceed applicable ANSI/BIFMA standards

MUSIC



Melody Chair®
8210, TR82



Music Stand
82MS



Conductor
CSS, CP, CS, CTS

Melody Chair®





Dollies Category on Page 195

Compatible with DOLLY

DY82

EXCLUSIVELY PATENTED BY NPS

MELODY MUSIC CHAIR PATENTED


INNOVATIVE ENGINEERING AND DESIGN




Melody Chair® Jr.

(16" SEAT HEIGHT VS. 17.5" ON THE 8210)





Model Number
8210-16



TWO HEIGHTS AVAILABLE

Model Number
8210

1-2 DAY LIGHTNING SHIP

Melody Chair® Features



Optional Tablet Arm With Plywood Core



Durable Polypropylene Contoured Seat For Extra Comfort



Curved, Tight Plugs



Music Band-Pitch Style With a Seat Back Angle Of 97°

Tablet Arms



TA82L Left Tablet Arm



TA82R Right Tablet Arm

WEIGHT CAPACITY 300 lbs

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

MAS CERTIFIED GREEN

TAA

ten year warranty 10

NEW

NOW IN STOCK!

Tuba Rest



1-2 DAY LIGHTNING SHIP

Model Number
TR82
Note: Chair sold separately

Tuba Rest Features




Telescoping Tube with Four Adjustable Height



Quick & Easy Installation



17-Gauge, 7/8" Square Chrome Frame



Thermoplastic Coated Tuba Support with Ergonomic Design

Music Stand



Model Number
82MS

Music Stand Features



Tension Tilt Surface For Smooth Adjustment



Neck Assembly Provides A Tighter Fit On Pole



Rubber Tips Included To Prevent Noise And Floor Scratching


ten year warranty 10

MAS CERTIFIED GREEN

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards





Dollies Category on Page 195
Compatible with DOLLY
DYMS10, DYMS20

CONDUCTOR'S FURNITURE



Conductor's Podium



PATENT PENDING BY NPS
CONDUCTOR'S PODIUM
PATENT PENDING
INNOVATIVE ENGINEERING AND DESIGN

1-2 DAY LIGHTNING SHIP

MAS CERTIFIED GREEN for a healthier indoor environment

ten year warranty 10

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

Model Number
└ **CP**

Color



Black Carpet
Black Side Panels
Plywood Core


CP Conductor Podium

Overall	12"H X 39.5"W X 44.25"D
Step	5.75"H X 39.5"W X 10.5"D

Features



Industrial Grade 14-Gauge Frame



Carpeted Surface and Textured Sides for Modern Aesthetics



Removable Guardrail Also Functions as a Handle for Transport



Transport Vertically With Four Built-in Casters

Conductor's Stand

EXCLUSIVELY PATENTED BY NPS

CONDUCTOR'S STAND **PATENTED** *INNOVATIVE ENGINEERING AND DESIGN*



1-2 DAY LIGHTNING SHIP

Features



Adjustable Height Telescopic Pole



Heavy-Duty Knob Locking Mechanism



Removable Accessory Tray



8-Gauge Steel Designer Base

Color

Black

Model Number
└ CS

MAS CERTIFIED GREEN

ten year warranty 10

CS Conductor Stand

Reading Surface	26.75" X 19.75"
Adjustable Height	33.75" - 52.75"

Conductor's Chair



All Conductor Furniture Available as a Kit



Model Number
└ CCS

Features



Plush Padded Seat and Back



Adjustable Height Footrest With Locking Knob



Height Adjustable from 24.5" to 34.5" With Pneumatic Lift



Plastic Reinforced Backrest and Seat

Model Number
└ PCC

1-2 DAY LIGHTNING SHIP

ten year warranty 10

CAL-117 RATED

TAA OPTIONS AVAILABLE

MAS CERTIFIED GREEN

Fabric tested to EXCEED 70,000 double rubs

BIFMA INTERNATIONAL

ANSI

products meet or exceed applicable ANSI/BIFMA standards

ROOM DIVIDERS



ALUMINUM FRAMING
Encasing Each Panel

BUILT-IN MAGNETIC GANGING

SOUND DAMPENING PET
Noise Reduction Coeficient of .55
Sound Absorption Average of .54

Robo Dividers













Robo Dividers

EXCLUSIVELY PATENTED BY NPS

ROOM DIVIDERS PATENTED INNOVATIVE ENGINEERING AND DESIGN

Features


Panel Position Regulators


Full Length Handle


Built-in Magnetic Ganging Mechanism on Top and Bottom


Foot-Pedal Activated Lock-Release Enables Effortless Folding


Auto-Click Panel-Locking Mechanism Keeps Panels Secure When Folded


Self-Leveling Spring Mechanism on All Casters


Each Panel Is Encased in Aluminum Framing


Tech-Lock Brake on 3" End-Panel Casters



PET Panels Are Tackable



PET Panels Are B1-Grade Flame Retardant


PET Panels Have a Noise Reduction Coefficient of 0.55 & Sound Absorption Average of 0.54


PET Panels Are Made of Environmentally Friendly Recycled Materials

Divider Lengths

6' Standard height



Panel Type


SOUND ABSORBING PET



Grey (PT02)



Blue (PT04)


Black (PT10)

OPTIX® ACRYLIC


Clear (CA)


Frosted (FA)


Whiteboard (WB)

Frame Color


Black (B)


Grey (G)

Model Number Configuration

Model Number — Panels

RD B 6 3 PT04

Frame Color — Panel Type

Base Model #	Description
RDB6	Black Frame, 6ft High
RDG6	Grey Frame, 6ft High

7 DAY QUICK SHIP Robo Dividers with Sound Absorbing Pet (PT02, PT04 and PT10) and Clear Optix® Acrylic (CA) Panel Type

TAA

MAS CERTIFIED GREEN

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

ten year warranty 10

BIFMA INTERNATIONAL ANSI




Design Your Perfect Stage!

Explore our new Stage Configurator

Create, customize, and visualize your ideal stage setup in minutes. Choose from a variety of options and configurations, *available now on our website!*

nationalpublicseating.com/stage-configurator





STAGES AND RISERS

Stages
S, SP, SST, TFXS, SG



Risers
RT, RS, TP,
SBRC, SCRC





Configure Your Stage

WIDTH, HEIGHT AND SURFACE TYPE



BUILT-IN GANGING

STAGE CONFIGURATOR
AVAILABLE ON OUR WEBSITE

Stage Packages
Page 191

See Accessories
Page 193

7 DAY QUICK SHIP



Sizes

WIDTH

36" 48"

HEIGHT

8" 16" 24" 32"

Surface Options

CARPET

Black	Blue	Grey	Red	Hardboard
(C-10)	(C-04)	(C-02)	(C-40)	(HB)

Model Number Configuration

Model Number Height

S48 8 C-10

Width Surface

Features



14-Gauge Tubular Steel Legs



16-Gauge Steel Frame



0.75" Thick Plywood Core



Ganging To Easily Connect Multiple Stages



96" Standard Length

200 LBS/FT²

Tested by SGS Labs to Exceed 200 lb/Sq Ft Weight Capacity

ten year warranty 10

MAS CERTIFIED GREEN


TAA

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS


Create Curved Configurations

Using Stage Pies





Sizes



WIDTH

36" 48"

HEIGHT

8" 16" 24" 32"

Model Number Configuration

Model Number Height

SP36 8 C-04

Width/Depth Surface

BUILT-IN GANGING

7 DAY QUICK SHIP

Surface Options

CARPET



Black (C-10)	Blue (C-04)	Grey (C-02)	Red (C-40)	Hardboard (HB)

Create Seated Risers

Single-level stages combine with gangers to create multi-level surfaces.

Use below configuration codes for multi-level sets.

Straight sets



See Accessories Page 193

Stage Packages Page 191

Pie sets



Level Code

2L	2 levels; 8" and 16" Heights
3L	3 levels; 8", 16", and 24" Heights
4L	4 levels; 8", 16", 24" and 32" Heights

Model Number Configuration

Model Number Width Level Code

SPST 48 2L C-10

Add "P" for pie set Surface

7 DAY QUICK SHIP

ten year warranty 10

MAS CERTIFIED GREEN For a Healthier Indoor Environment

TAA

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

Choral Risers

Combine Risers for Straight or Curved Configurations

Straight Edge

Code "RS"




Tapered-Tapered | Straight-Straight BUILT-IN GANGING for the same model

7 DAY QUICK SHIP

Tapered Edge

Code "RT"





Sizes

WIDTH

18"

HEIGHT

8" 16" 24" 32"

Surface Options

CARPET



Black	Blue	Grey	Red	Hardboard
(C-10)	(C-04)	(C-02)	(C-40)	(HB)

Model Number Configuration

Edge Code — Height

RT 24 C-10

Surface

Single-level risers combine with gangers to create multi-level surfaces.

Use below configuration codes for multi-level sets.





7 DAY QUICK SHIP

ten year warranty 10

See Accessories Page 193

Edge Code

STRAIGHT

Code "RS"

TAPERED

Code "RT"

Level Code

2L	2 levels; 8" and 16" Heights
3L	3 levels; 8", 16", and 24" Heights
4L	4 levels; 8", 16", 24" and 32" Heights

Model Number Configuration

Edge Code — Level Code

RS 2L C-10

Surface

GREENGUARD GOLD CERTIFIED GREEN for a healthier indoor environment

TAA

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

TransPort Riser

Available with straight or tapered edges and a fourth-level add-on










See Accessories
Page 193


STRAIGHT JOINED UNITS


TAPERED JOINED UNITS



1-2 DAY LIGHTNING SHIP

Model Numbers

TP72	Straight Riser
TPR72	Tapered Riser
TPA	4th Level Straight Add-on
TPRA	4th Level Tapered Add-on

Transfix Stages

Adjustable Height Stages for Built-in Multi-Level Capabilities

BUILT-IN GANGING



ROLL IN



FLIP



CONFIGURE



Sizes

WIDTH/LENGTH

48"x48"	48"x96"

ADJUSTABLE HEIGHTS

16"/24"	24"/32"

Model Number Configuration

Prefix: TFXS | Width/Length: 4896 | Height: 1624 | Surface: C-10

Surface Options

CARPET

Black (C-10)	Blue (C-04)	Grey (C-02)	Red (C-40)	Hardboard (HB)

Features

200 LBS/FT²
Tested by SGS Labs to Exceed 200 lb/Sq Ft Weight Capacity


2 Heavy Duty Casters Lift Off When Set Up


14-Gauge Legs Adjustable to Two Heights


Built in Gangers for Multi Stage Configurations

See Accessories Page 193

7 DAY QUICK SHIP


TAA

ten year warranty 10

DESIGNED, ENGINEERED & ASSEMBLED IN THE U.S.A. WITH GLOBAL MATERIALS

MAS CERTIFIED GREEN

Stage Packages



STAGE CONFIGURATOR
AVAILABLE ON OUR WEBSITE

CREATE YOUR OWN PACKAGE

1. Choose Stage Height
2. Choose Quantity of Stages
3. Choose Surface Type and Color
4. Choose Skirting Type and Color

WE WILL CONFIGURE THE REST.

Each package includes guard rails on 3 sides, skirting on all sides, and 2 sets of steps.

Surface Options

CARPET

Black	Blue	Grey	Red	Hardboard
(C-10)	(C-04)	(C-02)	(C-40)	(HB)

Skirting Options

Type

- Box pleat skirting (SB)
- Shirred pleat skirting (SS)

Color

- Black (10)
- Navy (04)
- Burgundy (08)
- Green (06)

Model Number Configuration

Prefix — QTY of Stages — Skirting Color

SG48 24 04 C-10 -SB 08

Height — Surface — Skirting Type

Sample Configurations

Model#	Description
SG482404	16' X 8' X 24”
SG481610	20' X 16' X 16”
SG482410	20' X 16' X 24”
SG483210	20' X 16' X 36”
SG482412	24' X 16' X 24”
SG362404	12' X 8' X 24”

Add surface and skirting codes to the end of Model #

7 DAY QUICK SHIP


MAS CERTIFIED GREEN

TAA

DESIGNED, ENGINEERED & ASSEMBLED IN THE U. S. A. WITH GLOBAL MATERIALS

ten year warranty 10


Riser Packages



BOW

OVAL

RING



Surface Options

CARPET



Black	Blue	Grey	Red	Hardboard
(C-10)	(C-04)	(C-02)	(C-40)	(HB)



Use progressive heights for Seated Bands or Choral Riser Configurations

Package Options

Model#	Includes
SBRC48	3 sets of SST48 (48" x 96" straight stages) and 4 sets of compatible SPST48 (pie stages) and guard rails
SBRC36	3 sets of SST36 (36" x 96" straight stages) and 4 sets of compatible SPST36 (pie stages) and guard rails

Model Number Configuration

Base Model

SBRC48 C-10

Surface Option

7 DAY QUICK SHIP

TAA

ten year warranty 10

DESIGNED, ENGINEERED & ASSEMBLED IN THE U.S.A. WITH GLOBAL MATERIALS

MAS CERTIFIED GREEN

A



B



1-2 DAY LIGHTNING SHIP

C



D



E



A. Back Guard Rail
For use with choral risers

Model#	Description
GRR24S	Back Guard Rails for 3 Level Straight Standing Choral Risers
GRR32S	Back Guard Rails for 4 Level Straight Standing Choral Risers
GRR24T	Back Guard Rails for 3 Level Tapered Standing Choral Risers
GRR32T	Back Guard Rails for 4 Level Tapered Standing Choral Risers
GRTPR3	Back Guard Rails for 3 Level TransPort Riser
GRTPR4	Back Guard Rails for 4 Level TransPort Riser

B. Side Guard Rail
For use w/ standing risers in 3 heights

Model#	Description
SGRTP3	Side Guard Rails for 3 Level TransPort Riser
SGRTP4	Side Guard Rails for 4 Level TransPort Riser
SGR2L	Side Guard Rails for 2 Level Standing Choral Risers
SGR3L	Side Guard Rails for 3 Level Standing Choral Risers
SGR4L	Side Guard Rails for 4 Level Standing Choral Risers

C. Dolly
For use with stages & seated risers (Minimum 36" widths)

Model#	Description
SDL	Stage Dolly for Use with 36" W or 48" W Stages

D. Steps
For stages in 3 heights

Model#	Description
STP16	Steps for 16"H Stages
STP24	Steps for 24"H Stages
STP32	Steps for 36"H Stages

E. Stage Guard Rail
For use with stages

Model#	Description
GRS30	30"W Guard Rail for Stages
GRS36	36"W Guard Rail for Stages
GRS48	48"W Guard Rail for Stages

Chair Guard

Model#	Description
CG28	Chair Guard for SP368 Stage Pie
CG32	Chair Guard for Sides of 3' x 8' Stages
CG37	Chair Guard for SP488 Stage Pie
CG44	Chair Guard for Sides of 4' x 8' Stages
CG54	Chair Guard for SP3616 & SP4824 Stage Pie (2 EA. Needed for SP4824)
CG72	Chair Guard for SP4816 Stage Pie
CG81	Chair Guard for SP3624 Stage Pie
CG96	Chair Guard for Back of Stages (3' x 8' & 4' x 8')

Skirting Options

Model Number Configuration

Skirting Type — Length


SB 8-48-xx

Height — Color

Skirting Type



Box pleat skirting (SB)



Shirred pleat skirting (SS)

Size

HEIGHT: 8" 16" 24" 32"

LENGTH: 36" 48" 96"

Skirting Color



Black (10)



Burgundy (08)



Green (06)



Navy (04)

ten year warranty 10

CERTIFIED GREEN

TAA OPTIONS AVAILABLE

DOLLIES

New
DY-MPD



Multi-Purpose Dolly



18" Seminar Tables



30" Rectangular Tables



Stages



Choral Risers




AVAILABLE
DECEMBER 2024

Redefining *Multi-Purpose* Storage and Transport

Multi-Purpose Dolly

Experience the ease and convenience of moving with the Ultimate Multi-Purpose Transportation Dolly –your go-to solution for all heavy-duty storage and transport needs!





Designed for narrow doorways! Our angle supports enable double stacks of 18" seminar tables to fit trough a 32" wide doorway!


Compatible Product Series

All Rectangular Tables, Stages, and Risers

Features




6 super-duty 5" hard rubber casters, 2 Fixed, 2 Swivel, and 2 Swivel/Locking



Crafted from durable 14-gauge tubular steel and sheet metal with a sleek textured black powdercoating



Customize the angle supports for secure and versatile storage and transportation of difference width products.



Easily adjusts to handle 60-inch, 72-inch, or 96-inch long tables and stages



Thermoplastic-coated handle offers three height settings for added comfort



Fully Welded Hawk Connection support bracket



Easily lock/unlock with a single downward motion, protecting your shoes from scuffs



Super-duty telescoping frame mechanism

Angle Support Configuration

To load 18” wide items
(For 32” doorway)



Set the Angle Supports to Hole “1”

To load 19”to 30“ wide items
(For 32” doorway)




Set the Angle Supports to the Flat Position on the Same Side as the End Axle Holes. On the Opposite Side, Set the Angle Supports to Hole "3"

To load bigger than 30 ” wide items



Set the Angle Supports to Flat Position

Double check all bolts to be tightened securely before use. Check all bolts periodically. Failure to completely tighten the bolts may result in tipping and possible injury!



CASTER WEIGHT CAPACITY 600 lbs

MAS CERTIFIED GREEN

1-2 DAY LIGHTNING SHIP

ten year warranty 10




Transport Options

For use with 4', 5', 6' or 8' rectangular tables

Features


Plastic Coated Table Support Frames


4 Swivel/ 2 Locking Casters


7/8" O.D. Steel Handle (18-Gauge)


5 X 1.25" Hard Rubber Casters


1" Square 14-Gauge Tubular Frame



Textured Black Powder-Coated Steel

Compatible Table Series

BT1800	BT2400	BT3000	MSFT*

*Rectangle tables only

Quantity of Tables 10 5



Dimensions:
31"H X 28"W x 48"L

1-2 DAY LIGHTNING SHIP

WEIGHT CAPACITY 1000 lbs

ten year warranty 10

MAS CERTIFIED GREEN

Storage and Transport Dollies

DYMU

Equipped with a Center Bar to Support Small Table Sizes.
Featuring Carpeted Table Supports for Added Table Protection.



Compatible Table Series

BT2400 BT3000 BT48R BT60R
MSFT48RD MSFT60RD MSFT Rectangular

Quantity of Tables 8-10

2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 1100 lbs

DY-71R

Equipped with an Extra Bar For Additional Support



Compatible Table Series

BT48R BT60R BT71R

Quantity of Tables 8-10

2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 1100 lbs

1- 2 DAY LIGHTNING SHIP

DY-60R

Equipped with a Tubular Handle for Stability & Easy Handling.
Featuring Carpeted Table Supports for Added Table Protection.



Compatible Table Series

BT48R BT60R MSFT48RD MSFT60RD

Quantity of Tables 8-10

2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 1100 lbs

DY-3072

Tables up to 72" long

DY-3096

Tables up to 96" long



Compatible Table Series

All Rectangular

Quantity of Tables 12

2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 1100 lbs


ten year warranty 10

MAS CERTIFIED GREEN

Storage and Transport Dollies

Model 84





Compatible Chair Series


50	200	300	800	1200	1300	2200	2300

Quantity of Chairs

84

Model 42-8





Compatible Chair Series

50	200	300	600	800	1200	1300	1400	2200	2300

Quantity of Chairs

42 | 30

Compatible Table Models

BT3072 BT3096


Quantity of Tables

8-10

1- 2 DAY LIGHTNING SHIP

Model 84/EXT-8





Compatible Chair Series

600	1100	1400	3200

Quantity of Chairs

72 | 60 | 84

Also any chairs compatible with 84

Model 84-60 | 84/EXT-8-60 | 42-8-60

Convert the top level of your dolly into a coat rack by adding -60 to the end of the model number



Available Accessories



EXT-8
Available for model 84



MODEL C-60
Available for Model 84/42


Storage and Transport Dollies

DY-35



2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 1100 lbs



Compatible Chair Series

50	200	300	600	800	1100	1200	1300	2200	2300	3200

Quantity of Chairs

24	28	35	30

USCDK

Use this handle kit DY35 and DY50 for understage storage




DY-50



2 FIXED/3 SWIVEL CASTERS

WEIGHT CAPACITY 1375 lbs



Compatible Chair Series

50	200	300	600	800	1100	1200	1300	2200	2300	3200

Quantity of Chairs

35	40	42	50


1- 2 DAY LIGHTNING SHIP

DY1100



2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 1100 lbs



Compatible Chair Series

1100

Quantity of Chairs


26

DY1400



2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 1375 lbs



Compatible Chair Series

1400

Quantity of Chairs

52

ten year warranty 10

MAS CERTIFIED GREEN

Storage and Transport Dollies

DY700/800


Optional Strap Available
Model DYS8





2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 1100 lbs



Compatible Chair Series

800

Quantity of Chairs 36

DY81



4 SWIVEL CASTERS

WEIGHT CAPACITY 1375 lbs

Compatible Chair Series

8100 BCC BCM BCS
9200 9300 9600

Quantity of Chairs 10 4-6

1- 2 DAY LIGHTNING SHIP

DY82



2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 332 lbs

TAA



Compatible Chair Series

8210 8210-16

Quantity of Chairs 18

DY85



4 SWIVEL CASTERS

WEIGHT CAPACITY 1375 lbs

TAA

Compatible Chair Series

8500

Quantity of Chairs 40

ten year warranty 10

MAS CERTIFIED GREEN

Storage and Transport Dollies

DY87



4 SWIVEL LOCKING CASTERS

WEIGHT CAPACITY 1100 lbs

TAA

Compatible Chair Series

8700 8800

Quantity of Chairs 35

DY87B



4 SWIVEL LOCKING CASTERS

WEIGHT CAPACITY 1375 lbs

TAA

Compatible Chair Series

8700B 8700C 8800B 8800C

Quantity of Chairs 24

1- 2 DAY LIGHTNING SHIP

DY-9000



2 FIXED CASTERS

WEIGHT CAPACITY 1375 lbs

Compatible Chair Series

9100 9200 9300 BCC

Quantity of Chairs 8-10 4-6

DY86



2 FIXED/SWIVEL CASTERS

WEIGHT CAPACITY 1100 lbs

TAA

Compatible Chair Series

8600

Quantity of Chairs 20

ten year warranty 10

MAS CERTIFIED GREEN

Storage and Transport Dollies

DY-CL85



Compatible Chair Series

850-CL

Quantity of Chairs 30

SDL



4 SWIVEL/2 LOCKING CASTERS

Compatible Stages

36”W 48”W

Quantity of Stages 6


1- 2 DAY LIGHTNING SHIP

DYMS10



4 FIXED CASTERS

WEIGHT CAPACITY 100 lbs



Compatible Music Stands

82MS

Quantity of Stands 10

DYMS20



2 FIXED/SWIVEL CASTERS



Compatible Music Stands

82MS

Quantity of Stands 20

ten year warranty 10

MAS CERTIFIED GREEN



LECTERNS



Lecterns
GSL, 22, 112, 222, 70,
600, 401S, 611



Sound Lecterns
ZED, GSL-S, 111PLS,
800x, 6010, 950/901

Greystone Lectern





ELEGANT
Designer curved grey plywood for a more sophisticated look.



VERSATILE
Steel cabinet and hooded twin wheel matching casters allow for added storage and mobility.



MULTI-MEDIA
Large reading surface and pull-out shelves for a complete multi-media presentation experience.

1-2 DAY LIGHTNING SHIP

Features



Sleek Grey Plywood Provides A Smooth Writing Surface



Quality Lock For Secure Storage



3" Twin Wheel TPR Two-Tone Casters



Two Shelves and Drawer for Convenient Storage

GSL SERIES
GREYSTONE LECTERN

Reading Surface: 22.75"W x 18.25"D
Side pull out trays (R & L): 14.25"W x 12"D
Front pull out tray: 17.5"W x 9.25"D
Top two cabinet shelves: 21"W x 14.75"D x 7"H
Bottom cabinet shelf: 21"W x 14.75"D x 12"H
Drawer: 6.25"W x 15"D x 13.25"H
Product Weight: 89 lbs.

ten year warranty 10

TAA

Full Floor Lectern
222 Series



TableTop Lectern
22 Series



Lectern Base
112 Series




222 SERIES

Colors



Mahogany
222-MY



DIMENSIONS: 46.5"H X 23"W X 16"D
WEIGHT: 56 LBS.

22 SERIES


Colors



Mahogany
22-MY



Black
22-BK



DIMENSIONS:
13.75"H X 23.75"W X 19.875"D
WEIGHT: 31 LBS.

Features



Built in Paper/
Bookstop



Convenient
Shelf for Storage

Accessories




2CS
Caster Kit
Optional for 222
included with 112

112 SERIES

Color



Black
122-BK



DIMENSIONS: 33.75"H X 21.125"W X 17.5"D
WEIGHT: 50 LBS.

1-2 DAY LIGHTNING SHIP

ten year warranty 10

Portable Presentation Lectern
70 Series



Aristocrat Floor Lectern
600 Series



1-2 DAY LIGHTNING SHIP

ten year warranty 10


Features



Adjustable Height From 30" – 44" and Adjustable Glides



Features a Generous 20"Wx16"L Reading Surface




Features



4 Easy-Roll Casters, 2 Locking



Side Mounted Slide Out 15"Wx16"L Shelf For A/V Presentation Equipment



Colors



Medium Oak
70-MO



Mahogany
70-MY



Wild Cherry
70-CH

Colors



Medium Oak
600-MO



Mahogany
600-MY



Wild Cherry
600-CH

Clear Acrylic Podium
401S Series



Model Number
└**401S**

Features




Features a Convenient Shelf



Broad 23.5”X24” Reading Surface



Built-in Acrylic Book Stop



1-2 DAY LIGHTNING SHIP

ten year warranty 10

Vision Lecterns

Vision Lectern
611 Series






Color



Ribbonwood
611-RW

1-2 DAY LIGHTNING SHIP

ten year warranty 10



Overall Dimensions: 46″Hx24″Wx21″D
Interior shelf: 14.5″Dx23″W

Features



Four Concealed Casters, Two Locking



¾-Inch Stain and Scratch Resistant Thermofused Melamine Laminate on MDF



Built in Paper/ Bookstop



Two sizeable 14.5” x 23” shelves for ample storage



SOUND LECTERNS

ZED Lectern



See Accessories Page 219

PATENT PENDING BY NPS

ZED LECTERN
PATENT PENDING
INNOVATIVE ENGINEERING AND DESIGN

Features



Equipped With Condensor and Dynamic Microphone Inputs



Includes One Flexible Gooseneck Mic and One Tie-Clip/Lavalier Mic



Amplifier Supports Bluetooth/USB Inputs



Built-in Tone Control Capabilities



Output Lines for Auxiliary Speakers



Featuring 4 Concealed Casters



Equipped With a Halogen Lamp




Four 4” 40W Speakers



Durable Scratch Resistant Surface



High-Pressure Thermal-Fused Laminate on an MDF Core



Product Feature	ZED
Overall	19.5”W x 19.5”D x 46.5”H
Reading Surface	19.5”W x 20.5”D
Product Weight	47.6 lbs.
Mics	21” Gooseneck
AMP	40W

1-2 DAY LIGHTNING SHIP

ten year warranty 10

Greystone Lectern with Sound





1-2 DAY LIGHTNING SHIP

See Accessories Page 219

Features



Includes a Handheld Mic With 9' Cable and a Tie-Clip/Lapel Mic With 10' Cable



Equipped With Condensor and Dynamic Microphone Inputs



Amplifier Supports Bluetooth/USB Inputs and Output Lines for Auxiliary Speakers




Sleek Grey Plywood Provides A Smooth Writing Surface



Two Shelves and Drawer for Convenient Storage



3" Twin Wheel TPR Two-Tone Casters



Product Feature	GSL-S
Overall	23.5"W x 19.25"D x 45.5"H
Reading Surface	22.75"W x 18.25"D
Side Pull Out Trays (R & L)	14.25"W x 12"D
Front Pull Out Tray	17.5"W x 9.25"D
Top Two Cabinet Shelves	21"W x 14.75"D x 7"H
Bottom Cabinet Shelf	21"W x 14.75"D x 12"H
Drawer	N/A
Product Weight	95 lbs.
Mics	Handheld and Tie-clip
AMP	30W

Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic

Optional Prefix	Description
M	Add Rechargeable Battery

Power Plus Lectern
111PLS Series



1-2 DAY LIGHTNING SHIP

See Accessories Page 219

Color



Mahogany
111PLS-MY




Ribbonwood
111PLS-RW

Upgraded Amplifier with Bluetooth/USB Inputs

Base Model	Description
111PLS-MY	Power Plus Lectern - Mahogany
111PLS-RW	Power Plus Lectern - Ribbonwood

Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic

Optional Prefix	Description
M	Add Rechargeable Battery



The Orator
800X Series



See Accessories Page 219

Color



Mahogany
800X-MY




Ribbonwood
800X-RW

Upgraded Amplifier with Flexible Gooseneck Microphone and Four Concealed Casters

Base Model	Description
800X-MY	Orator Lectern - Mahogany
800X-RW	Orator Lectern - Ribbonwood

Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic

Optional Prefix	Description
M	Add Rechargeable Battery



Aristocrat Floor Lectern




Base Model	Description
6010-MY	Aristocrat Floor Lectern - Mahogany

Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic

Optional Prefix	Description
M	Add Rechargeable Battery

Color

Mahogany
6010-MY



See Accessories Page 219

1-2 DAY LIGHTNING SHIP

ten year warranty 10

Veneer Lecterns

Combo Veneer Sound Lectern
950/901 Series



Upgraded Amplifier with Bluetooth/ USB Inputs Flexible Goosneck Microphone and Four Concealed Casters


Base Model	Description
950/901-MY/WT	Combo Floor Sound Lectern - Mahogany on Walnut

Optional Suffix	Description
/LWM-5	Add Wireless Handheld Mic
/LWM-6	Add Wireless Tieclip Mic
/LWM-7	Add Wireless Headset Mic

Optional Prefix	Description
M	Add Rechargeable Battery

Color

Mahogany on Walnut
950/901-MY/WT



See Accessories Page 219

1-2 DAY LIGHTNING SHIP

ten year warranty 10



	111PLS	6010	800X	950 / 901	GSL-S	Zed
Dimensions	46”H X 22”W X 17”D	46”H X 25”W X 20”D	46”H X 22”W X 17”D	48”H X 24”W X 20”D	45.5” H X 23 .5” W X 19.25” D	46.5” H X 19.5” W X 19.25” D
Weight	50 Lbs.	89 Lbs.	63 Lbs.	175 Lbs.	95 Lbs.	47.6 Lbs
Inside Shelf	20.5”W X 6”D	(2) 23.5”W X 18”D	12”W X 4”D	22”W X 16”D X 11”H	21”W X 14.75”D X 7”H	–
Microphones	2 Condenser Type: Handheld W/ 9’ Cable; Tie-Clip Lavalier With 10’ Cable	2 Condenser Type: Handheld W/ 9’ Cable; Tie-Clip Lavalier With 10’ Cable	1 Flexible Gooseneck Mic; One Tie-Clip/Lavalier Mic	1 Flexible Gooseneck Mic; One Tie-Clip/Lavalier Mic	2 Condenser Type: Handheld W/ 9’ Cable; Tie-Clip Lavalier With 10’ Cable	1 Flexible Gooseneck Mic; One Tie-Clip/Lavalier Mic
Speakers	Four 8” Full Range	Two 8” High Efficiency	Four 6” Full Range	Four 4” High Efficiency	Two 8” High Efficiency	Four 4” High Efficiency
Inputs	Two Mics, One Aux	Two Mics, One Aux	Two Mics, One Aux	Two Mics, One Aux	Two Mics, One Aux	Media Players, Extension Speakers, Usb, Bluetooth, Recording & Mp3
Wireless	Switchable; Two Frequency	Switchable; Two Frequency	Switchable; Two Frequency	Switchable; Two Frequency	Bluetooth Enabled	Bluetooth Enabled
Outputs	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder	Line Out 1 – Extension Speaker Line Out 2 – Media Recorder
Controls	Four Volume, Bass/ Treble, On/Off	Four Volume, Bass/ Treble, On/Off	Four Volume, Bass/ Treble, On/Off	Four Volume, Bass/ Treble, On/Off, Bluetooth/Usb	Four Volume, Bass/ Treble, On/Off, Bluetooth/Usb	Four Volume, Bass/ Treble, On/Off, Bluetooth/Usb
Fuse	Internally Mounted, 2a	Internally Mounted, 2a	Internally Mounted, 2a	Internally Mounted, 2a	Internally Mounted, 2a	Internally Mounted, 2a
Power Supply	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery	117 Volt Ac; 12 V Dc W/Optional Battery
Recharger	Internally Mounted; W/Led Indicator	Internally Mounted; W/Led Indicator	Internally Mounted; W/Led Indicator	Internally Mounted; W/Led Indicator	Internally Mounted; W/Led Indicator	Internally Mounted; W/Led Indicator
Screen	–	–	–	–	–	–
Supported Formats	–	–	–	–	–	–

Available Accessories for Sound Lecterns



LWM-5
Wireless
Handheld Mic



LWM-6
Wireless
Tie-Clip/
Lavalier Mic



LWM-5
Wireless
Handheld Mic



PS12V
12V 5 Amp
Rechargeable
Battery

Model Number Configuration

Lectern Model Number — Accessory Code

800XRW LWM-5

add "M" prefix to model number for rechargable battery

PRESENTATION CARTS



The Wizard Lectern
WZD Series



Features



Surfaces Simultaneously Support: Doc Camera, LCD Projector, and Laptop



Attractive Cherry Wood Top & Base With Steel Cabinet



Sliding/ Locking LCD Projector Shelf



Storage Cabinate With Built in Power Strip

Product Feature	WZD
Overall Dimensions	38”H x 25”W x 19”D
Boxed Dimensions	37”H x 25”W x 8”D
Surface Dimensions	25”W x 19”D
Laptop Shelf	16”W x 13”D
Side Shelves	16”W x 16”D
Drawer	15”W x 15”D x 2.5”H
Cabinet	23”H x 18”W x 16.5”D
Cabinet Shelf	18”W x 16.5”D
Weight	Unit 88 lbs / Boxed 99 lbs

Color



Wild Cherry on Black

1-2 DAY LIGHTNING SHIP

ten year warranty 10

Multi Media Cart
MMC Series



Features



Dual Flip up Shelves on Both Sides for Use of a Document Camera, Laptop and Projector Simultaneously



High Pressure Thermofused Scratch Resistance Laminate on Particle Board Core



Locking Door and Drawer for Secure Storage



Front Slide-Out Laptop Shelf

Product Feature	MMC
Top Surface	18” L x 21” W
Inside Dimensions	16” L x 14.5” W x 20”H
Projector Slide	16” L x 14” W
Built-In Drawer	10” L x 14” W x 5” H
Height	40” H
Side Pop-Up Shelf	14” L x 14” W

Color



Wild Cherry on Black

Premium Presentation Carts

Premium Presentation Cart
PRC200 Series



Premium Plus Presentation Cart
PRC250 Series



Features



Wire Management Grommets



6 Outlet Power Strip With 25' Cord With Winder



3" Casters (2 Locking)



Large Projector Shelf



Inner Shelf for Added Storage



Adjustable Height Laptop Shelf For Sitting Or Standing Position


Color




Ivory Woodgrain

Product Feature	PRC200/PRC250
Dimensions	40.5"H x 18"W x 30"D
Top Shelf	18"W x 16.75"L
Laptop Shelf	18"W x 14"D
Middle Projector Shelf	16"W x 12"D
Bottom Shelf	18"W x 18"D
Weight	40 lbs
Carton size	37"L x 18"W x 5"H
Class	85
Color	Frame: Black; Shelves: Ivory wood grain
Steel	18 gauge
Paint	3 mil powder coating
Tops	Laminated on 3/4" MDF

PRC200



PRC250



Premium Plus



Lockable Cabinet With 3 Adjustable / Removable Shelves

ten year warranty 10

1-2 DAY LIGHTNING SHIP

Jumbo Presentation Carts


Jumbo Presentation Cart
PRC400 Series

Jumbo Plus Presentation Cart
PRC450 Series





Features



Spacious Lockable Cabinet With Adjustable Shelf



Adjustable Height Laptop Shelf for Sitting or Standing Position

Jumbo Plus



CPU Holder




6 Outlet Power Strip With 20-Foot Cord




Adjustable Height Side Shelf for Document Camera or Projector

Color




Ivory Woodgrain

Product Feature	PRC400
Dimensions	40"H x 33"W x 21"D
Surface Dimensions	27"D x 21"W
Middle Projector Shelf	30.5"D x 17.5"W
Laptop Adjustable Shelf	21"W x 18"D
Locking Cabinet	25"D x 19"W x 24.75"H
Cabinet Adjustable Shelf	20"D x 19"W
Weight	100.5 lbs



Product Feature	PRC450
Dimensions	40"H x 33"W x 21"D
Surface Dimensions	27"D x 21"W
Middle Projector Shelf	30.5"D x 17.5"W
Laptop Adjustable Shelf	21"W x 18"D
Side Adjustable Shelf	24.5"W x 18"D
Locking Cabinet	25"D x 19"W x 24.75"H
Cabinet Adjustable Shelf	20"D x 19"W
Weight	117.5 lbs

1-2 DAY LIGHTNING SHIP



ten year warranty 10

DUET CHARGING CART
DCC Series




Model Number
└ **DCC**

Overall Dimensions: 28 1/8"W x 22"D x 38 1/4"H
Surface Dimensions: 22 3/4"W x 21 1/8"D
Shelf Dimensions: 22 1/4"W x 15 1/2"D

1-2 DAY LIGHTNING SHIP

ten year warranty 10

Features


18-Gauge Heavy-Duty Steel Parts


4 Heavy-Duty 4" Casters, 2 Locking


Fits 32 Laptops and Tablets With Screens up to 15.6" (up to 1" Thickness)


Adjustable Height Shelves Can Be Adjusted in 2" Increments


32 UL Approved Outlets on Built-in Power Strips


12ft Power Cord to Plug Into Wall


Maintenance Area With 4 Storage Shelves for Device Adapters


Dividers Can Be Positioned at Any Width in 1" Increments


Built in Wire Channels on aEach Divider


2 Point Locking System on Front and Back Doors


Hook to Wrap the Power Cord on the Side of Cart


Grip-Rite Surface on Top of Cart

PRO AUDIO PA SYSTEM
PRA-8000 Series





Built-in underside receptacle for optional PRA-TRD Tripod set up

1-2 DAY LIGHTNING SHIP

Features



Sleek, Modern Design With Rounded Body



Transport Easily With Built-in Handle



USB Port for Mp3



Auxiliary Inputs for IPods and Other Media Players

Microphone Options



PRA8-5
Wireless Handheld Mic



PRA8-6
Wireless Handheld Mic & Wireless Tie-Clip /Lavalier



PRA8-7
Wireless Handheld Mic & Wireless Mic Headset

Model Number

Prefix — Microphone Option

PRA8000/PRA8-5



BASICS by NPS

Banquet Chairs
9100



Stack Chairs
850-CL



Folding Chairs
900



Personal Table
PT3000



Banquet Chairs



1-2 DAY LIGHTNING SHIP

WEIGHT CAPACITY 300 lbs

Vinyl Colors

- 9104-B Midnight Blue
- 9108-B Pleasant Burgundy
- 9110-B Panther Black

Frame Color

- Black

Dollies Category on Page 195

Compatible with DOLLY

DY-9000, DY81

Stack Up To 10 CHAIRS

Features



1" High Density Grade-A Foam Seat




3/4" 19 Gauge Square Tubing



Eight Plastic Stack Bumpers for Secure Stackability



Plywood Core Seat and Back



CAL-117 RATED

one year warranty 1

Stack Chairs



Colors

850-CL
Black

855-CL
Navy Blue

Features


Black Powdercoated Frame



18-Gauge, 1/2" Steel Tubing


Built-in Ganging Glides Link Multiple Chairs Together Easily


Polypropylene Seat & Back



Dollies Category on Page 195
Compatible with DOLLY
DY-CL85
Stack Up To 30 CHAIRS



WEIGHT CAPACITY 300 lbs

1-2 DAY LIGHTNING SHIP

one year warranty 1

Folding Chairs

All-Steel
900 Series



Colors

- 901 Beige
- 902 Grey
- 910 Black

Vinyl Upholstered
950 Series



Colors

- 950 Black Vinyl Black Frame
- 951 Beige Vinyl Beige Frame
- 952 Grey Vinyl Grey Frame

Fabric Upholstered
970 Series



Colors

- 970 Star Trail Black Fabric Black Frame
- 973 Star Trail Brown Fabric Beige Frame
- 974 Star Trail Blue Fabric Navy Blue Frame

Features


Non-Marring Glides



19-Gauge Steel Frame


Single Hinge


Two Tack Welded Leg Braces

Dollies Category on Page 195











Personal Table




1-2 DAY LIGHTNING SHIP


one year warranty 1

Features


1.67" Thick Tabletop


Speckled Grey Tabletop


20"x30" Tabletop


Powder Coated Textured Grey Frames and Legs



Plastic Clip to Hold Legs in Place


Glides Are Strong and Not Easily Removable


Adjustable Height Mechanism


Fully Welded Cross Brace

ADJUSTABLE TO SIX HEIGHTS





High Pressure Laminate

CORE MATERIAL	Industrial Grade Particleboard, MDF, or Plywood
FINISH	Matte Finish, Color Options Vary Per Product
EDGE	Vinyl T-Mold, 3MM PVC Edge Banding or Protect Edge
THICKNESS	Mobile Tables: 3/4" • Cafe Tables: 1-1/4" • Heavy-Duty Standard: 3/4" • Heavy-Duty Supreme: 1-1/4" • Science HPL: 1-1/8" • Togo: 1-1/4"



Chem-Res

CORE MATERIAL	Industrial Grade Particleboard with Chemical Resistant High Pressure Laminate (HPL) on Top Side, Resin Backer Sheet on Bottom Side
FINISH	Black, Matte Finish
EDGE	3MM PVC Edge Banding bonded with heated adhesive
THICKNESS	1"



Phenolic

CORE MATERIAL	Solid Phenolic Resin
FINISH	Black, Matte Finish
EDGE	1/8" Bevel Edge
THICKNESS	3/4"



Epoxy

CORE MATERIAL	Solid Epoxy Resin
FINISH	Black, Matte Finish
EDGE	1/8" Bevel Edge
THICKNESS	1"



Trespa

CORE MATERIAL	Cellulose
FINISH	Black, Matte Finish
EDGE	1/8" Bevel Edge
THICKNESS	3/4"



Whiteboard

CORE MATERIAL	Industrial Grade Particleboard with High-Pressure Laminate (HPL) Top
FINISH	Whiteboard Surface
EDGE	3MM PVC Edge Banding
THICKNESS	1.25"



Butcherblock

CORE MATERIAL	Solid Hard Maple Edge Grain Top
FINISH	Proprietary Urethane-Based Satin Finish or Natural Penetrating Oil Finish. *See Page 181 for Details*
EDGE	Long Edge Beveled • Square Ends
THICKNESS	1.75"

MAINTENANCE INSTRUCTIONS: Clean butcher block surfaces with soapy water or common kitchen counter top cleaners. Do not use abrasives or powder cleansers. Do not allow moisture to stand on the surface for prolonged periods of time.

Standard Edges

No minimum required



Vinyl T-Molding | Black (TM)



Protect Edge | Black (PE)



3MM PVC Edge Banding | Black (EB)

Premium Edges

May be subject to minimum quantity and upcharge

PROTECT EDGE



Navy (PN)



Green (PG)



Red (PR)



Purple (PP)



Beige (PB)



Orange (PO)



Dark Grey (PD)



Medium Grey (PM)



Light Grey (PL)

3MM PVC EDGE BANDING



Navy (EN)



Green (EG)



Red (ER)



Purple (EP)



Beige (EE)



Dark Grey (ED)



Medium Grey (EM)



Light Grey (EL)



Stool Top Color Options



Grey
(02)



Blue
(04)



Green
(06)



Burgundy
(08)



Black
(10)



Yellow
(25)



Purple
(28)



Red
(40)



Pacific Blue
(14)



Pea Pod
(16)



Tangerine
(17)

TWO STOOL SHAPES AVAILABLE



Round Stool



ErgoMax Stool

High Pressure Laminates

Wilsonart Standard Laminates

No minimum required

 Robin RN	 Port PO	 Regimental Red RR	 Hollyberry RE	 Candy Apple CD	 Dragon Fire DF	 Orange Grove OG
 Hunter Green GR	 Ocean OC	 Cornflower FF	 Persian Blue BL	 Lapis Blue LB	 Catalina CI	 Indigo IN
 Cassis XS	 Concord Grape CG	 Graphite Nebula GN	 Asian Night AN	 Rustic Slate RS	 Forged Steel FS	 Figured Mahogany MY
 Windsor Mahogany WM	 Lowell Ash LA	 Burnished Chestnut CT	 Buka Bark KB	 River Cherry RC	 Nepal Teak NT	 Wild Cherry CH
 Bannister Oak OK	 Castle Oak CO	 Limber Maple LM	 Kensington Maple KS	 Fusion Maple FM	Manitoba Maple MT	Almond Leather AL
 Boardwalk Oak BD	 Steel Mesh SL	 Slate Grey SG	 Mystic Night MN	 Pewter Brush PB	Windswept Pewter WP	Twilight Zephyr TZ
Sheer Mesh SM	Crisp Linen CL	High Rise HR	Frosty White FW	White Sand WS	Titanium EV EV	Carbon Ev CE
Evening Tigris ET	Bronze Legacy BZ	Pearl Soapstone PS	Grey Glace GG	Grey Nebula GY	Platinum PL	Fashion Grey GF
White Nebula WN	White Tigris TW	Grey RG	Grey Pampas PP	Designer White DW	Blackbird CK	Black BK

High Pressure Laminates


Maroochy Brush
MB

Marigold
YW


Island
IS


Fresh Cut
FE


Atlantis
AT


Brittany Blue
BB


Woolamai Brush
WO


Navy Legacy
NL


Coffee Bean
CB


Montana Walnut
WT


Windswept Bronze
WZ


Pinnacle Walnut
PN


Fonthill Pear
FP


Harvest Maple
HM


New Age Oak
NW


Monticello Maple
MP

Natural Almond
NA


Natural Glace
GC

Desert Zephyr
DZ


Natural Tigris
NG


Earthen Warp
EW


Pewter Mesh
PW


Green Tigris
GT

Dove Grey
DG


Tailored Linen
TA


North Sea
NS


Pressed Linen
LN


Cloud Nebula
CN

Formica Standard Laminates

No minimum required


Ashwood Bone


Weathered Ash


Silver Riftwood


Black Riftwood


Cream Softwood


Danish Maple


Taupe Walnut


Planked Urban Oak


Formal Walnut


Clove Spice Cherry


Antique Mango


Buff Elm

Camel Elm

Graphite Elm

Swede Rift Oak

Scandi Rift Oak

Cherry Walnut

Pecan Walnut

Sand Maple

Finnish Oak

Millennium Oak

Wild Cherry

Gallery Teak

Acajou Mahogany

Prestige Walnut

Aluminum

Stainless

Blackened Steel

High Pressure Laminates

Formica Standard Laminates

No minimum required

Starched Paperfold


Origami Paperfold


Washi Paperfold

Pale Brushstroke


Wood Brushstroke


Earthenware Brushstroke


Carrara Bianco


Neo Cloud


Patine Concrete


Folkstone Celesta


Gray Grafix


Stone Grafix


Graphite Grafix


White Twill


Neutral Twill


Graphite Twill

Cotton Cloth


Woolen Cloth

Glass Cloth


Sheer Fabric


Muslin Fabric


Gray Fabric


Chambray Fabric

White

Brite White

Dover White

Mission White

Pearl

Almond

Pumice

Olyster Gray


Platinum


Fog


Mouse


Otter


Earth


Dark Chocolate


Storm


Graphite


Black

Blush

Stop Red

New Burgundy

Vibrant Green

Spectrum Green

Jadeite

Green Slate

Clementine

Gold Braze

Chrome Yellow

Liquid Glass

Fossil

Winter Sky

Denim

Earthenware

Spectrum Blue

Navy Blue

Cassis

Purple Dye

Choose any laminates from:

May be subject to minimum quantity and upcharge

Wilsonart® FORMICA® panolam.

Premium Laminates

Minimum Quantity, Upcharge and 10 week lead time apply

Marmalade ML	Quince QN	Wheat Berry BY	Kale Leaf KL	Blue Curacao CR	Biltmore Cherry BC	Williamsburg Cherry WC
Xanadu XD	Skyline Walnut SW	Charcoal Velvet CV	Deepstar Agate DS	White Cypress CY	White Driftwood WD	Grey Elm GE
Portico Teak PT	Italian Silver Ash IA	Cosmic Strandz CS	Ink Vesta IV	Gold Alchemy GA	Whiteboard WB	

IF YOU DON'T SEE A LAMINATE, JUST ASK!

Custom Logo Options

Upcharge and extended lead times apply

Customize Your Laminate With A Design Inspired By YOUR LOGO

JUST SEND US A LOGO FILE!

Elevate Every Space with Personalized Designs!



Streamline Your Space: Elegant Power Solutions for Ultimate Efficiency!

For all HPL Tables



Round Desktop Grommet

PPDT10-GROM

- 3.5″ Diameter
- Color Black



Round Grommet Power Dock

PPDT10-W

- Round Grommet Power Dock
- 3" Diameter
- Qi Wireless Charger
- Color Black



Round Grommet Power Dock

PPDT10-2

- 3" Diameter
- 2 AC Outlets
- Color Black



Round Grommet Power Dock

PPDT10-2-AC

- 3" Diameter
- 1 AC Outlet
- 1 USB Type-A
- 1 USB Type-C Port
- Color Black



Round Pull-Up Grommet Power Dock

PPDT10-3P-AC

- 3" Diameter
- 2 AC Receptacles
- 1 USB Type-A
- 1 USB Type-C Port
- Color Black



Round Pull-Up Grommet Power Dock

PPDT10-3P

- 3" Diameter
- 3 AC Receptacles
- Color Black

All of these products are UL CERTIFIED c UL us LISTED

Note: *To order, please send a placement file to NPS, and we will make the hole in the appropriate location for simple installation upon receipt of your table. Please allow for a 2" tolerance in the placement.*

Custom Phenolics and Butcherblock Finishing Options

Black Core Phenolic

MOQ, upcharge and extended lead time apply

PFG705 | PFS729 | PBW954 | PMO829 | PAL029 | PFO9435 | PLG0428 | PGS3978

PSR938 | PNB6697 | PSO5328 | PEA2435 | PPU858 | PMJ1578 | PNB969

Color Thru Phenolic

MOQ, upcharge and extended lead time apply

PNB969CT | PMO829CT | PMJ1578CT

Butcherblock Finishing Options

STANDARD



Urethane-Based Satin Finish

Code: BB

CORE MATERIAL	Solid Hard Maple Edge Grain Top
FINISH	Proprietary Urethane-Based Satin Finish
EDGE	Long Edge Beveled • Square Ends
THICKNESS	1.75”
FOOD SAFE	Yes
MAINTENANCE	Recommended to re-finish every 2-3 weeks depending on usage.



*Refinishing can be done fairly quickly using a rag and **Emmet’s Good Stuff Gel Urethane***

CUSTOM



Varnique Semi-Gloss Finish

Upcharge and Extended Lead Time apply

Code: BV

CORE MATERIAL	Solid Hard Maple Edge Grain Top
FINISH	Natural Penetrating Oil Finish
EDGE	Long Edge Beveled • Square Ends
THICKNESS	1.75”
FOOD SAFE	Yes
MAINTENANCE	Recommended to re-finish every 3-4 weeks depending on usage.



*Refinishing can be done fairly quickly using a rag and **Boos ® EZ-DO Finish***

Limited Warranty: Since Natural Wood Products rely heavily on the care they receive, Butcherblock Tabletops have One Year Warranty. The rest of the parts of the product still carry a Ten Year Warranty.

Custom 9200/9300 Series Banquet Chairs

MOQ, upcharge and extended lead time apply

Fabrics


Midnight Blue
54


Ebony Black
60


Natural Chocolatier
61


Natural Greystone
62


Diamond Navy
64


Natural Blue
74


Natural Taupe
78


Auburn
F201


Brown
F202


Charcoal
F203


Cobalt
F204


Black Patterned
F205


Fossil
F206


Golden Burgundy
F207


Grape
F208


Brown Dot
F209


Grey Dot
F210


Hunter Green
F211


Indigo
F212


Mixed Tan
F214


Pink Grape
F215


Purple
F216


Red Rose
F217


Walnut
F218


Diamond Burgundy
F219


Graphite
F220

Vinyls


French Beige
01


Midnight Blue
04


Pleasant Burgundy
08


Panther Black
10


Black
V101


Dark Brown
V102


Cobalt Blue
V103


Tan
V104


Burgundy
V105


Medium Brown
V106


Textured Black
V107

Model #	Description
93	9300 Series Silhouette Stack Chair
92	9200 Series Dome Stack Chair

Frames


Black Santex
BT


Silvervein
SV


Mocha
M

Model Number Configuration

Model Number — Frame Design

93 xx - xx

Fabric/Vinyl Design

Custom Color Options

300 Chair MOQ and Extended Lead Times Apply

Frame Colors

White	Black	Chrome	Silver	Soft Grey
01	10	11	12	20

Poly

Available for 8700/8800

11Ā	22Ā	44Ā	55Ā	66Ā	77Ā
99Ā	00Ā	11Ā	22Ā	33Ā	44Ā
55Ā	66Ā	77Ā	00Ā	22Ā	33Ā
44Ā	55Ā	66Ā	77Ā		

Vinyl

Available for 8700

V03	V04	V05	V06	V07	V08
V10	V11	V12	V13	V42	

Fabric

Available for 8700

F01	F02	F03	F04	F05	F06	F07
F08	F09	11Ā	22Ā	33Ā	44Ā	55Ā
66Ā	77Ā	88Ā	99Ā	00Ā	11Ā	22Ā
33Ā	44Ā	55Ā	66Ā	77Ā	88Ā	



8700/8800 Custom Configuration

Model Number — Frame Color

87* PXX-XX-PXX

Seat Color — Back Color

*Add B for Bar Height or C for Counter Height



WARRANTY INFORMATION

National Public Seating® offers the original user a warranty against all manufacturing defects in material and workmanship from date of purchase for ten years*. If defective, NPS will, at its option, repair or replace the defective product. This warranty does not apply to damage resulting from misuse, abuse or neglect. Excessive swaying back and forth on any banquet stack chair will entirely void the warranty. Authorization for return and / or repairs is required by contacting your dealer. This warranty gives you specific rights, and you may also have other rights which vary by state.

Orders are accepted under the express agreement that under no circumstances will seller be liable for any incidental or consequential damages, or for any other loss, damage or expense of any kind, including loss of profits, arising in connection with the order or with the use or inability to use seller's products furnished under the order. Seller's maximum liability shall not exceed and buyer's remedy is limited to either (i) repair or replacement of the defective part or product, or at seller's option (ii) return of the product and refund of the purchase price. Such remedy shall be the buyer's entire and exclusive remedy.

*Fifteen years for Mobile Cafeteria Tables,

*One year for Basics By NPS and Butcherblock



GENERAL PRODUCTS



MOBILE TABLES



BASICS BY NPS

National Public Seating®

ADDRESS 149 Entin Road | Clifton, New Jersey 07014
TEL 800.261.4112 | **FAX** 973.594.9339
www.nationalpublicseating.com

CAFETERIA SCIENCE LAB ART ROOM AUDITORIUM MEDIA CENTER SETTING MUSIC ROOM BANQUET HALL OUTDOOR TRAINING ROOM WORSHIP CENTER EATERY









National Public Seating

SOLD THRU:

Sold By:
Wood Etc. Co
Email: mail@woodetcco.com
Web: www.woodetcco.com